

MAKE/MODEL	VALVE SIZE	CONTROL / RESET	ACTUATION	KIT #	INSTALL MANUAL	PRODUCT CODE
<b>UNIVERSAL 1.5"</b>						
<b>AUTOMATIC</b> MAG 3/8" w/ 5' HARNESS	1.5"	Auto / Auto or Manual	Electric	<b>C50321A</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC</b> MAG 3/8" w/ 10' HARNESS	1.5"	Auto / Auto or Manual	Electric	<b>C50321A-10</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC</b> CUMMINS CRANK POSITION WIRE T-JUMPER w/ 10' HARNESS	1.5"	Auto / Auto or Manual	Electric	<b>C50321A-J10</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC – R Terminal</b> R TERMINAL w/ 5' HARNESS	1.5"	Auto / Auto or Manual	Electric	<b>C50321A-R</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC – R Terminal</b> R TERMINAL w/ 10' HARNESS	1.5"	Auto / Auto or Manual	Electric	<b>C50321A-R10</b>	6325 / 6452	<b>PH3</b>
<b>MANUAL</b> 5' HARNESS — 12 & 24 VDC	1.5"	Manual / Auto	Electric	<b>C50321T</b>	6481	<b>PH3</b>
<b>MANUAL</b> 10' HARNESS — 12 & 24 VDC	1.5"	Manual / Auto	Electric	<b>C50321T-10</b>	6481	<b>PH3</b>
<b>MANUAL</b> 15' HARNESS — 12 & 24 VDC	1.5"	Manual / Auto	Electric	<b>C50321T-15</b>	6481	<b>PH3</b>

<b>UNIVERSAL 1.75"</b>						
<b>ANY COMMERCIAL TRUCK</b>	1.75"	Manual / Manual	Pull Cable*	<b>C50148</b>	6390	<b>PH1</b>
<b>AUTOMATIC</b> MAG 3/8" w/ 5' HARNESS	1.75"	Auto / Auto or Manual	Electric	<b>C50224A</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC</b> MAG 3/8" w/ 10' HARNESS	1.75"	Auto / Auto or Manual	Electric	<b>C50224A-10</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC</b> CUMMINS CRANK POSITION WIRE T-JUMPER w/ 10' HARNESS	1.75"	Auto / Auto or Manual	Electric	<b>C50224A-J10</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC – R Terminal</b> R TERMINAL w/ 5' HARNESS	1.75"	Auto / Auto or Manual	Electric	<b>C50224A-R</b>	6325 / 6452	<b>PH3</b>
<b>AUTOMATIC – R Terminal</b> R TERMINAL w/ 10' HARNESS	1.75"	Auto / Auto or Manual	Electric	<b>C50224A-R10</b>	6325 / 6452	<b>PH3</b>
<b>MANUAL</b> 5' HARNESS — 12 & 24 VDC	1.75"	Manual / Auto	Electric	<b>C50224T</b>	6481	<b>PH3</b>
<b>MANUAL</b> 10' HARNESS — 12 & 24 VDC	1.75"	Manual / Auto	Electric	<b>C50224T-10</b>	6481	<b>PH3</b>
<b>MANUAL</b> 15' HARNESS — 12 & 24 VDC	1.75"	Manual / Auto	Electric	<b>C50224T-15</b>	6481	<b>PH3</b>
<b>AUTOMATIC GENERIC</b> 12 VDC	1.75"	Auto / Manual	Electric	<b>C50290A-12</b>	6447 / 6448	<b>PH5</b>
<b>AUTOMATIC GENERIC</b> 24 VDC	1.75"	Auto / Manual	Electric	<b>C50290A-24</b>	6447 / 6448	<b>PH5</b>
<b>MANUAL GENERIC</b> 12 VDC	1.75"	Manual / Manual	Electric	<b>C50290-12</b>	6447 / 6448	<b>PH5</b>
<b>MANUAL GENERIC</b> 24 VDC	1.75"	Manual / Manual	Electric	<b>C50290-24</b>	6447 / 6448	<b>PH5</b>

\*Note: A mounting group & pull cable are not included. See **ACCESSORIES** section (on last page) to add correct sizes for specific applications.



MAKE/MODEL	VALVE SIZE	CONTROL / RESET	ACTUATION	KIT #	INSTALL MANUAL	PRODUCT CODE
<b>UNIVERSAL 2.0"</b>						
ANY COMMERCIAL TRUCK	2.0"	Manual / Manual	Pull Cable*	C50145	6390	PH1
AUTOMATIC MAG 3/8" w/ 5' HARNESS	2.0"	Auto / Auto or Manual	Electric	C50225A	6325 / 6452	PH3
AUTOMATIC MAG 3/8" w/ 10' HARNESS	2.0"	Auto / Auto or Manual	Electric	C50225A-10	6325 / 6452	PH3
AUTOMATIC CUMMINS CRANK POSITION WIRE T-JUMPER w/ 10' HARNESS	2.0"	Auto / Auto or Manual	Electric	C50225A-J10	6325 / 6452	PH3
AUTOMATIC – R Terminal R TERMINAL w/ 5' HARNESS	2.0"	Auto / Auto or Manual	Electric	C50225A-R	6325 / 6452	PH3
AUTOMATIC – R Terminal R TERMINAL w/ 10' HARNESS	2.0"	Auto / Auto or Manual	Electric	C50225A-R10	6325 / 6452	PH3
MANUAL 5' HARNESS — 12 & 24 VDC	2.0"	Manual / Auto	Electric	C50225T	6481	PH3
MANUAL 10' HARNESS — 12 & 24 VDC	2.0"	Manual / Auto	Electric	C50225T-10	6481	PH3
MANUAL 15' HARNESS — 12 & 24 VDC	2.0"	Manual / Auto	Electric	C50225T-15	6481	PH3
AUTOMATIC GENERIC 12 VDC	2.0"	Auto / Manual	Electric	C50291A-12	6447 / 6448	PH5
AUTOMATIC GENERIC 24 VDC	2.0"	Auto / Manual	Electric	C50291A-24	6447 / 6448	PH5
MANUAL GENERIC 12 VDC	2.0"	Manual / Manual	Electric	C50291-12	6447 / 6448	PH5
MANUAL GENERIC 24 VDC	2.0"	Manual / Manual	Electric	C50291-24	6447 / 6448	PH5

\*Note: A mounting group & pull cable are not included. See ACCESSORIES section (on last page) to add correct sizes for specific applications.

<b>UNIVERSAL 2.25"</b>						
ANY COMMERCIAL TRUCK	2.25"	Manual / Manual	Pull Cable*	C50146	6390	PH1
AUTOMATIC MAG 3/8" w/ 5' HARNESS	2.25"	Auto / Auto or Manual	Electric	C50252A	6325 / 6452	PH3
AUTOMATIC MAG 3/8" w/ 10' HARNESS	2.25"	Auto / Auto or Manual	Electric	C50252A-10	6325 / 6452	PH3
AUTOMATIC CUMMINS CRANK POSITION WIRE T-JUMPER w/ 10' HARNESS	2.25"	Auto / Auto or Manual	Electric	C50252A-J10	6325 / 6452	PH3
AUTOMATIC – R Terminal R TERMINAL w/ 5' HARNESS	2.25"	Auto / Auto or Manual	Electric	C50252A-R	6325 / 6452	PH3
AUTOMATIC – R Terminal R TERMINAL w/ 10' HARNESS	2.25"	Auto / Auto or Manual	Electric	C50252A-R10	6325 / 6452	PH3
MANUAL 5' HARNESS — 12 & 24 VDC	2.25"	Manual / Auto	Electric	C50252T	6481	PH3
MANUAL 10' HARNESS — 12 & 24 VDC	2.25"	Manual / Auto	Electric	C50252T-10	6481	PH3
MANUAL 15' HARNESS — 12 & 24 VDC	2.25"	Manual / Auto	Electric	C50252T-15	6481	PH3
AUTOMATIC GENERIC 12 VDC	2.25"	Auto / Manual	Electric	C50292A-12	6447 / 6448	PH5
AUTOMATIC GENERIC 24 VDC	2.25"	Auto / Manual	Electric	C50292A-24	6447 / 6448	PH5
MANUAL GENERIC 12 VDC	2.25"	Manual / Manual	Electric	C50292-12	6447 / 6448	PH5
MANUAL GENERIC 24 VDC	2.25"	Manual / Manual	Electric	C50292-24	6447 / 6448	PH5

\*Note: A mounting group & pull cable are not included. See ACCESSORIES section (on last page) to add correct sizes for specific applications.



MAKE/MODEL	VALVE SIZE	CONTROL / RESET	ACTUATION	KIT #	INSTALL MANUAL	PRODUCT CODE
<b>UNIVERSAL 2.5"</b>						
ANY COMMERCIAL TRUCK	2.5"	Manual / Manual	Pull Cable*	C50147	6390	PH1
AUTOMATIC MAG 3/8" w/ 5' HARNESS	2.5"	Auto / Auto or Manual	Electric	C50243A	6325 / 6452	PH3
AUTOMATIC MAG 3/8" w/ 10' HARNESS	2.5"	Auto / Auto or Manual	Electric	C50243A-10	6325 / 6452	PH3
AUTOMATIC CUMMINS CRANK POSITION WIRE T-JUMPER w/ 10' HARNESS	2.5"	Auto / Auto or Manual	Electric	C50243A-J10	6325 / 6452	PH3
AUTOMATIC – R Terminal R TERMINAL w/ 5' HARNESS	2.5"	Auto / Auto or Manual	Electric	C50243A-R	6325 / 6452	PH3
AUTOMATIC – R Terminal R TERMINAL w/ 10' HARNESS	2.5"	Auto / Auto or Manual	Electric	C50243A-R10	6325 / 6452	PH3
MANUAL 5' HARNESS — 12 & 24 VDC	2.5"	Manual / Auto	Electric	C50243T	6481	PH3
MANUAL 10' HARNESS — 12 & 24 VDC	2.5"	Manual / Auto	Electric	C50243T-10	6481	PH3
MANUAL 15' HARNESS — 12 & 24 VDC	2.5"	Manual / Auto	Electric	C50243T-15	6481	PH3
AUTOMATIC GENERIC 12 VDC	2.5"	Auto / Manual	Electric	C50293A-12	6447 / 6448	PH5
AUTOMATIC GENERIC 24 VDC	2.5"	Auto / Manual	Electric	C50293A-24	6447 / 6448	PH5
MANUAL GENERIC 12 VDC	2.5"	Manual / Manual	Electric	C50293-12	6447 / 6448	PH5
MANUAL GENERIC 24 VDC	2.5"	Manual / Manual	Electric	C50293-24	6447 / 6448	PH5

\*Note: A mounting group & pull cable are not included. See **ACCESSORIES** section (on last page) to add correct sizes for specific applications.

<b>UNIVERSAL 2.75"</b>						
AUTOMATIC MAG 3/8" w/ 5' HARNESS	2.75"	Auto / Auto or Manual	Electric	C50244A	6325 / 6452	PH3
AUTOMATIC MAG 3/8" w/ 10' HARNESS	2.75"	Auto / Auto or Manual	Electric	C50244A-10	6325 / 6452	PH3
AUTOMATIC CUMMINS CRANK POSITION WIRE T-JUMPER w/ 10' HARNESS	2.75"	Auto / Auto or Manual	Electric	C50244A-J10	6325 / 6452	PH3
AUTOMATIC – R Terminal R TERMINAL w/ 5' HARNESS	2.75"	Auto / Auto or Manual	Electric	C50244A-R	6325 / 6452	PH3
AUTOMATIC – R Terminal R TERMINAL w/ 10' HARNESS	2.75"	Auto / Auto or Manual	Electric	C50244A-R10	6325 / 6452	PH3
MANUAL 5' HARNESS — 12 & 24 VDC	2.75"	Manual / Auto	Electric	C50244T	6481	PH3
MANUAL 10' HARNESS — 12 & 24 VDC	2.75"	Manual / Auto	Electric	C50244T-10	6481	PH3
MANUAL 15' HARNESS — 12 & 24 VDC	2.75"	Manual / Auto	Electric	C50244T-15	6481	PH3
AUTOMATIC GENERIC 12 VDC	2.75"	Auto / Manual	Electric	C50294A-12	6447 / 6448	PH5
AUTOMATIC GENERIC 24 VDC	2.75"	Auto / Manual	Electric	C50294A-24	6447 / 6448	PH5
MANUAL GENERIC 12 VDC	2.75"	Manual / Manual	Electric	C50294-12	6447 / 6448	PH5
MANUAL GENERIC 24 VDC	2.75"	Manual / Manual	Electric	C50294-24	6447 / 6448	PH5

\*Note: A mounting group & pull cable are not included. See **ACCESSORIES** section (on last page) to add correct sizes for specific applications.



MAKE/MODEL	VALVE SIZE	CONTROL / RESET	ACTUATION	KIT #	INSTALL MANUAL	PRODUCT CODE
<b>UNIVERSAL 3.0"</b>						
ANY COMMERCIAL TRUCK	3.0"	Manual / Manual	Electric	C50218	6274	PH2
ANY COMMERCIAL TRUCK 24 VDC	3.0"	Manual / Manual	Electric	C50218-24	6274	PH2
ANY COMMERCIAL TRUCK	3.0"	Auto / Manual	Electric	C50218A	6275	PH2
ANY COMMERCIAL TRUCK 24 VDC	3.0"	Auto / Manual	Electric	C50218A-24	6275	PH2
AUTOMATIC MAG 3/4" w/ 5' HARNESS	3.0"	Auto / Auto or Manual	Electric	C50226A	6325 / 6452	PH3
AUTOMATIC MAG 3/4" w/ 10' HARNESS	3.0"	Auto / Auto or Manual	Electric	C50226A-10	6325 / 6452	PH3
AUTOMATIC CUMMINS CRANK POSITION WIRE T-JUMPER w/ 10' HARNESS	3.0"	Auto / Auto or Manual	Electric	C50226A-J10	6325 / 6452	PH3
AUTOMATIC – R Terminal R TERMINAL w/ 5' HARNESS	3.0"	Auto / Auto or Manual	Electric	C50226A-R	6325 / 6452	PH3
AUTOMATIC – R Terminal R TERMINAL w/ 10' HARNESS	3.0"	Auto / Auto or Manual	Electric	C50226A-R10	6325 / 6452	PH3
MANUAL 5' HARNESS — 12 & 24 VDC	3.0"	Manual / Auto	Electric	C50226T	6481	PH3
MANUAL 10' HARNESS — 12 & 24 VDC	3.0"	Manual / Auto	Electric	C50226T-10	6481	PH3
MANUAL 15' HARNESS — 12 & 24 VDC	3.0"	Manual / Auto	Electric	C50226T-15	6481	PH3
AUTOMATIC GENERIC 12 VDC	3.0"	Auto / Manual	Electric	C50295A-12	6447 / 6448	PH5
AUTOMATIC GENERIC 24 VDC	3.0"	Auto / Manual	Electric	C50295A-24	6447 / 6448	PH5
MANUAL GENERIC 12 VDC	3.0"	Manual / Manual	Electric	C50295-12	6447 / 6448	PH5
MANUAL GENERIC 24 VDC	3.0"	Manual / Manual	Electric	C50295-24	6447 / 6448	PH5

<b>UNIVERSAL 3.5"</b>						
ANY COMMERCIAL TRUCK	3.5"	Manual / Manual	Electric	C50217	6274	PH2
ANY COMMERCIAL TRUCK	3.5"	Auto / Manual	Electric	C50217A	6275	PH2
AUTOMATIC MAG 3/4" w/ 5' HARNESS	3.5"	Auto / Auto or Manual	Electric	C60256A	6492 / 6493	PH3
AUTOMATIC MAG 3/4" w/ 10' HARNESS	3.5"	Auto / Auto or Manual	Electric	C60256A-10	6492 / 6493	PH3
AUTOMATIC CUMMINS CRANK POSITION WIRE T-JUMPER UP TO & INCLUDING 2018 w/ APEX CONNECTOR‡, w/ 10' HARNESS	3.5"	Auto / Auto or Manual	Electric	C60256A-J10	6492 / 6493	PH3
AUTOMATIC CUMMINS CRANK POSITION WIRE T-JUMPER 2018+ w/ MCON 1.2 CONNECTOR‡, w/ 10' HARNESS	3.5"	Auto / Auto or Manual	Electric	C60256A-2J10	6492 / 6493	PH3
AUTOMATIC – R Terminal R TERMINAL w/ 5' HARNESS	3.5"	Auto / Auto or Manual	Electric	C60256A-R	6492 / 6493	PH3
AUTOMATIC – R Terminal R TERMINAL w/ 10' HARNESS	3.5"	Auto / Auto or Manual	Electric	C60256A-R10	6492 / 6493	PH3
MANUAL 5' HARNESS — 12 & 24 VDC	3.5"	Manual / Auto or Manual	Electric	C60256T	6495	PH3
MANUAL 10' HARNESS — 12 & 24 VDC	3.5"	Manual / Auto or Manual	Electric	C60256T-10	6495	PH3
MANUAL 15' HARNESS — 12 & 24 VDC	3.5"	Manual / Auto or Manual	Electric	C60256T-15	6495	PH3
MANUAL 20' HARNESS — 12 & 24 VDC	3.5"	Manual / Auto or Manual	Electric	C60256T-20	6495	PH3
AUTOMATIC GENERIC 12 VDC	3.5"	Auto / Manual	Electric	C50296A-12	6447 / 6448	PH5
AUTOMATIC GENERIC 24 VDC	3.5"	Auto / Manual	Electric	C50296A-24	6447 / 6448	PH5
MANUAL GENERIC 12 VDC	3.5"	Manual / Manual	Electric	C50296-12	6447 / 6448	PH5
MANUAL GENERIC 24 VDC	3.5"	Manual / Manual	Electric	C50296-24	6447 / 6448	PH5



MAKE/MODEL	VALVE SIZE	CONTROL / RESET	ACTUATION	KIT #	INSTALL MANUAL	PRODUCT CODE
<b>UNIVERSAL 4.0"</b>						
ANY COMMERCIAL TRUCK	4.0"	Manual / Manual	Electric	C50209	6274	PH2
ANY COMMERCIAL TRUCK 24 VDC	4.0"	Manual / Manual	Electric	C50209-24	6274	PH2
ANY COMMERCIAL TRUCK	4.0"	Auto / Manual	Electric	C50209A	6275	PH2
ANY COMMERCIAL TRUCK 24 VDC	4.0"	Auto / Manual	Electric	C50209A-24	6275	PH2
AUTOMATIC MAG 3/4" w/ 5' HARNESS	4.0"	Auto / Auto or Manual	Electric	C60228A	6492 / 6493	PH3
AUTOMATIC MAG 3/4" w/ 10' HARNESS	4.0"	Auto / Auto or Manual	Electric	C60228A-10	6492 / 6493	PH3
AUTOMATIC CUMMINS CRANK POSITION WIRE T-JUMPER (UP TO & INCLUDING 2018) w/ APEX CONNECTOR†, w/ 10' HARNESS	4.0"	Auto / Auto or Manual	Electric	C60228A-J10	6492 / 6493	PH3
AUTOMATIC CUMMINS CRANK POSITION WIRE T-JUMPER 2018 + w/ MCON 1.2 CONNECTOR†, w/ 10' HARNESS	4.0"	Auto / Auto or Manual	Electric	C60228A-2J10	6492 / 6493	PH3
AUTOMATIC – R Terminal R TERMINAL w/ 5' HARNESS	4.0"	Auto / Auto or Manual	Electric	C60228A-R	6492 / 6493	PH3
AUTOMATIC – R Terminal R TERMINAL w/ 10' HARNESS	4.0"	Auto / Auto or Manual	Electric	C60228A-R10	6492 / 6493	PH3
MANUAL 5' HARNESS — 12 & 24 VDC	4.0"	Manual / Auto or Manual	Electric	C60228T	6495	PH3
MANUAL 10' HARNESS — 12 & 24 VDC	4.0"	Manual / Auto or Manual	Electric	C60228T-10	6495	PH3
MANUAL 15' HARNESS — 12 & 24 VDC	4.0"	Manual / Auto or Manual	Electric	C60228T-15	6495	PH3
MANUAL 20' HARNESS — 12 & 24 VDC	4.0"	Manual / Auto or Manual	Electric	C60228T-20	6495	PH3
AUTOMATIC GENERIC 12 VDC	4.0"	Auto / Manual	Electric	C50297A-12	6447 / 6448	PH5
AUTOMATIC GENERIC 24 VDC	4.0"	Auto / Manual	Electric	C50297A-24	6447 / 6448	PH5
MANUAL GENERIC 12 VDC	4.0"	Manual / Manual	Electric	C50297-12	6447 / 6448	PH5
MANUAL GENERIC 24 VDC	4.0"	Manual / Manual	Electric	C50297-24	6447 / 6448	PH5

<b>UNIVERSAL 5.0"</b>						
ANY COMMERCIAL TRUCK	5.0"	Auto / Manual	Electric	C50247A	6275	PH2
ANY COMMERCIAL TRUCK 24 VDC	5.0"	Auto / Manual	Electric	C50247A-24	6275	PH2
ANY COMMERCIAL TRUCK	5.0"	Manual / Manual	Electric	C50247	6274	PH2
ANY COMMERCIAL TRUCK 24 VDC	5.0"	Manual / Manual	Electric	C50247-24	6274	PH2
AUTOMATIC GENERIC 12 VDC	5.0"	Auto / Manual	Electric	C50298A-12	6447 / 6448	PH5
AUTOMATIC GENERIC 24 VDC	5.0"	Auto / Manual	Electric	C50298A-24	6447 / 6448	PH5
MANUAL GENERIC 12 VDC	5.0"	Manual / Manual	Electric	C50298-12	6447 / 6448	PH5
MANUAL GENERIC 24 VDC	5.0"	Manual / Manual	Electric	C50298-24	6447 / 6448	PH5

<b>CUSTOM CALL 800.663.0096 FOR ADDITIONAL INFORMATION</b>						
ANY COMMERCIAL TRUCK	Generic	Manual / Manual	Pull Cable	CONTACT PACBRAKE	6351	PH2
ANY COMMERCIAL TRUCK	Generic	Manual / Manual	Pneumatic	CONTACT PACBRAKE	6252	PH2



MAKE/MODEL	VALVE SIZE	CONTROL / RESET	ACTUATION	KIT #	INSTALL MANUAL	PRODUCT CODE
<b>VOLVO/MACK</b>						
VOLVO / MACK GENERIC	3.5"	Auto / Manual	Pneumatic	C50285A	6438	PH2
VOLVO / MACK GENERIC	3.5"	Auto / Auto or Manual	Electric	C60255A	6492 / 6493	PH3
VOLVO / MACK GENERIC FOR USE WITH R TERMINAL	3.5"	Auto / Auto or Manual	Electric	C60255A-R	6492 / 6493	PH3

<b>DETROIT DD13 / DD15 / DD16 ENGINE</b>						
COMMERCIAL TRUCK DETROIT DD13 / DD15 / DD16 ENGINE	4.0"	Manual / Manual	Electric	C50205	6290	PH2
COMMERCIAL TRUCK DETROIT DD13 / DD15 / DD16 ENGINE	4.0"	Auto / Manual	Electric	C50205A	6289	PH2
COMMERCIAL TRUCK DETROIT DD13 / DD15 / DD16 ENGINE	4.0"	Auto / Auto or Manual	Electric	C60223A	6492 / 6493	PH3
COMMERCIAL TRUCK DETROIT DD13 / DD15 / DD16 ENGINE	4.0"	Auto / Manual	Electric	C50303A-12	6447 / 6448	PH5
COMMERCIAL TRUCK DETROIT DD13 / DD15 / DD16 ENGINE	4.0"	Manual / Manual	Electric	C50303-12	6447 / 6448	PH5

<b>KENWORTH T800 W/ ISX DIESEL ENGINE</b>						
KENWORTH T800 ISX DIESEL ENGINE	4.0"	Manual / Manual	Electric	C50219	6311	PH2
KENWORTH T800 ISX DIESEL ENGINE	4.0"	Auto / Manual	Electric	C50219A	6312	PH2

<b>MX11 ENGINE</b>						
2023+ MX11 ENGINE CRANK POSITION SENSOR T JUMPER	4.0"	Auto / Auto	Electric	C60361A-J	6492 / 6493	PH3

<b>MX13 ENGINE</b>						
MX13 ENGINE PUSH-IN TYPE MAG	4.0"	Auto / Auto or Manual	Electric	C60242A	6492 / 6493	PH3
MX13 ENGINE CRANK POSITION SENSOR T JUMPER	4.0"	Auto / Auto or Manual	Electric	C60242A-J	6492 / 6493	PH3
2023+ MX13 ENGINE CRANK POSITION SENSOR T JUMPER	4.0"	Auto / Auto	Electric	C60361A-J	6492 / 6493	PH3





PRODUCT	VALVE SIZE	APPLICATION	PART #	INSTALL MANUAL	PRODUCT CODE
<b>ACCESSORIES</b>					
<i>Pull Cable</i>					
PULL CABLE — 2 ft		Universal	C50018		PH1
PULL CABLE — 4 ft		Universal	C50022		PH1
PULL CABLE — 6 ft		Universal	C50026		PH1
PULL CABLE — 8 ft		Universal	C50030		PH1
PULL CABLE — 10 ft		Universal	C50035		PH1
<i>Mounting Group</i>					
MOUNTING GROUP	1.75"	Universal	C50117		PH1
MOUNTING GROUP	2.0"	Universal	C50118		PH1
MOUNTING GROUP	2.25"	Universal	C50119		PH1
MOUNTING GROUP	2.5"	Universal	C50116		PH1
<i>Jumper Harness</i>					
AUXILIARY INPUT JUMPER HARNESS 12 VDC		Universal	C50159	L6396	PH3
AUXILIARY INPUT JUMPER HARNESS 24 VDC		Universal	C50159-24	L6396	PH3
<i>Position Switches</i>					
VALVE POSITION SWITCH VALVE OPEN, SWITCH CLOSED			C50288	L6447	PH5
VALVE POSITION SWITCH VALVE OPEN, SWITCH OPEN			C50289	L6447	PH5

