



YEAR	MAKE/MODEL	<b>ҚІТ #</b>	INSTALL MANUAL	(V)	FRAME MOUNT		8	
CHEV	ROLET/GMC							
Chevrole	t/GMC SUVs							
1969-1991	JIMMY/BLAZER (4WD)	HP10033 *	L6030	<b>2</b> ½	Outside	Yes	SS	HP10001
1973-1991	JIMMY/BLAZER (2WD)	HP10033 *	L6030	<b>2</b> ½	Outside	Yes	SS	HP10001
Chevrole	t/GMC Pickup Trucks							
2004-2012	COLORADO/CANYON (2WD/4WD)	HP10224 �	L6383	2	Inside	No	SS	HP10001
2009-2012	COLORADO/CANYON (2WD/4WD)	HP10226 �	L6383	2	Inside	No	SS	HP10173
2015-2022	COLORADO / CANYON (2WD/4WD) Will not fit ZR2 or AT4 models	HP10339	L6483	2	Inside	No	SS	HP10199
Chevrole	t Silverado/GMC Sierra 1500							
1973-1987	<b>C-10</b> (2WD)	HP10019 +	L5685	3	Outside	Yes	DC	HP10000
		HP10019-J +	L5685	3	Outside	Yes	DCJ	HP10000J
1973-1987	<b>C-10 (</b> 2WD)	HP10033 *	L6030	<b>2</b> ½	Outside	Yes	SS	HP10001
1973-1987	K-10 (4WD)	HP10019 +	L5685	3	Outside	Yes	DC	HP10000
		HP10019-J +	L5685	3	Outside	Yes	DCJ	HP10000J
1973-1987	K-10 (4WD)	HP10033 *	L6030	<b>2</b> ½	Outside	Yes	SS	HP10001
1988-1998	SIERRA/SILVERADO K/C 1500 (2WD/4WD)	HP10088 <	L5932	3	Inside	Yes	DC	HP10000
	Will only fit vehicles with a Frame to Axle Pad distance of 7.25" or more	HP10088-J <	L5932	3	Inside	Yes	DCJ	HP10000J
1988-1998	SIERRA/SILVERADO K/C 1500 (2WD/4WD) Will only fit vehicles with a Frame to Axle Pad distance of 7.25" or less	HP10120 <	L5932	3	Inside	Yes	SC	HP10083
	win only in vehicles with a Frame to Axie Pau distance of <u>1.25 or less</u>	HP10120-J <	L5932	3	Inside	Yes	SCJ	HP10083J
2001-2006	SIERRA/SILVERADO 1500HD (2WD/4WD) HEAVY LOADS	HP10072 =	L5863	<b>2</b> ½	Inside	No	DC	HP10000
		HP10072-J =	L5863	<b>2</b> ½	Inside	No	DCJ	HP10000J
1999-2007	SIERRA/SILVERADO 1500 (2WD/4WD)	HP10033 *	L6030	<b>2</b> ½	Outside	Yes	SS	HP10001
2001-2005	SILVERADO 1500HD (2WD/4WD)	HP10033 *	L6030	<b>2</b> ½	Outside	Yes	SS	HP10001
2001-2008	SIERRA 1500HD (2WD/4WD)	HP10033 *	L6030	<b>2</b> ½	Outside	Yes	SS	HP10001
2007-2018	SIERRA/SILVERADO 1500 (2WD/4WD) FOR SHORT (69.3") AND MEDIUM (78.7") TRUCK BED LENGTHS	HP10144	L6035	2	Outside	No	SS	HP10001
2007-2018	SIERRA/SILVERADO 1500 (2WD/4WD) FOR LONG (97.8") TRUCK BED LENGTHS	HP10178	L6035	2	Outside	No	SS	HP10001
2007-2018	SIERRA/SILVERADO 1500 (2WD/4WD)	HP10216	L6360	3	Inside	No◆	DC	HP10000
	FOR SHORT (69.3") AND MEDIUM (78.7") TRUCK BED LENGTHS Will not fit if vehicle is equipped with MagneRide	HP10216-J	L6360	3	Inside	No◆	DCJ	HP10000J
2019	SIERRA LIMITED/SILVERADO LD 1500 (2WD/4WD)	HP10216	L6360	3	Inside	No◆	DC	HP10000
		HP10216-J	L6360	3	Inside	No◆	DCJ	HP10000J
2019-2024	$\textbf{SIERRA/SILVERADO 1500 (}2WD/4WD) \ \ \textbf{for all truck bed lengths}$	HP10340	L6453	2	Inside	No◆	DC	HP10000
	AT4/Trail Boss - requires use of 2" spacer HP10152.  Will not fit if vehicle is equipped with Adaptive Ride Control.	HP10340-J	L6453	2	Inside	No◆	DCJ	HP10000J

PL	EASE NOTE: Kits are designed to fit stock	vehicl	es. For modified vehicles we recommend o	checkin	king the fitment in our application guides. Rated up to 5000lbs unless otherwise stated.					
	REPLACEMENT AIR SPRING PART #	8	AIR SPRING STYLE	(1)	SUGGESTED INSTALL TIME (HOURS)					
K	IN-COIL	55	STANDARD DUTY SLEEVE STYLE	DC	HEAVY DUTY DOUBLE CONYOLUTED DCJ HD DOUBLE CONYOLUTED W/ JOUNCE					
5C	HEAVY DUTY SINGLE CONVOLUTED	SCJ	HD SINGLE CONVOLUTED W/ JOUNCE	XD	XTREME DUTY DOUBLE CONYOLUTED XDJ XD DOUBLE CONYOLUTED W/ JOUNCE					
•	▶ DRILLING MAY BE REQUIRED ON TRUCKS WITH AN AFTERMARKET 5™ WHEEL HITCH				+ HP10019 KITS FIT WITH A REESE 5th WHEEL RAIL KIT (MODELS 30033, 30035 & 30729)					
*	HP10033 KITS REQUIRE 6" BETWEEN THE TIRE AND FRAME				† HP10070 KITS FIT WITH A DRAW TITE 15000 5™ WHEEL HITCH					
**	WILL NOT FIT MODELS WITH RIDE HEIGHT SENSORS			<b>‡</b>	‡ HP10002 KITS FIT WITH 3349 & 3319 SUPERGLIDE 5™ WHEEL RAIL KITS ON 4WD VEHICLES					
<b>&gt;&gt;</b>	FOR ALL TRUCKS, INCLUDING THOSE WITH 5™ WHEEL HITCHES. NOT FOR CHASSIS CAB TRUCKS			#	# HP10089 KITS WILL NOT FIT WITH 3349 & 3319 SUPERGLIDE 5™ WHEEL RAIL KITS ON 2WD VEHICLES					
<	FOR 'C' CHANNEL FRAMES	=	FOR HYDRO FORMED FRAMES	•	SEE MANUAL OR CALL 800.663.0096 FOR SPECIFIC SUB-MODEL APPLICATIONS					







YEAR

MAKE/MODEL

**K**(T #

INSTALL MANUAL







## CHEVROLET/GMC

Chevro	let Silva	erado/GN	AC Sierr	a 25NN

Cileviole	et Silverado/Givic Sierra 2500							
1973-1987	<b>C-20</b> (2WD)	HP10019 +	L5685	3	Outside	Yes	DC	HP10000
		HP10019-J +	L5685	3	Outside	Yes	DCJ	HP10000J
1973-1987	C-20 (2WD)	HP10033 *	L6030	<b>2</b> ½	Outside	Yes	SS	HP10001
1973-1987	K-20 (4WD)	HP10019 +	L5685	3	Outside	Yes	DC	HP10000
		HP10019-J +	L5685	3	Outside	Yes	DCJ	HP10000J
1988-1998	SIERRA/SILVERADO K/C 2500 (2WD/4WD)	HP10088 <	L5932	3	Inside	Yes	DC	HP10000
	Will only fit vehicles with a Frame to Axle Pad distance of 7.25" or more	HP10088-J <	L5932	3	Inside	Yes	DCJ	HP10000J
1988-1998	SIERRA/SILVERADO K/C 2500 (2WD/4WD)	HP10120 <	L5932	3	Inside	Yes	SC	HP10083
	Will only fit vehicles with a Frame to Axle Pad distance of 7.25" or less	HP10120-J <	L5932	3	Inside	Yes	SCJ	HP10083J
1999-2000	SIERRA/SILVERADO 2500 (2WD/4WD) DRUM BRAKES ONLY	HP10088 <	L5932	3	Inside	Yes	DC	HP10000
	Will only fit vehicles with a Frame to Axle Pad distance of 7.25" or more	HP10088-J <	L5932	3	Inside	Yes	DCJ	HP10000J
1999-2000	SIERRA/SILVERADO 2500 (2WD/4WD) DRUM BRAKES ONLY	HP10120 <	L5932	3	Inside	Yes	SC	HP10083
	Will only fit vehicles with a Frame to Axle Pad distance of 7.25" or less	HP10120-J <	L5932	3	Inside	Yes	SCJ	HP10083J
2001-2010	SIERRA/SILVERADO 2500HD (2WD/4WD)	HP10005 <sup>»</sup>	L5683	2	Inside	No	DC	HP10000
	Will not fit models with factory air suspension		L5683	2	Inside	No	DCJ	HP10000J
2011-2019	SIERRA/SILVERADO 2500HD (2WD/4WD)	HP10171 »	L6135	<b>2</b> ½	Inside	No◆	DC	HP10000
		HP10171-J »	L6135	<b>2</b> ½	Inside	No◆	DCJ	HP10000J
2011-2019	SIERRA/SILVERADO 2500HD (2WD/4WD)	HP10171-X »	L6518	<b>2</b> ½	Inside	No◆	XD	HP10438
	RATED UP TO 7500LBS	HP10171-X-J »	L6518	<b>2</b> ½	Inside	No◆	XDJ	HP10438J
2020-2021	SIERRA/SILVERADO 2500HD (2WD/4WD)	HP10355 <sup>»</sup>	L6502	<b>2</b> ½	Inside	No	DC	HP10000
		HP10355-J »	L6502	<b>2</b> ½	Inside	No	DCJ	HP10000J
2020-2021	SIERRA/SILVERADO 2500HD (2WD/4WD)	HP10355-X »	L6504	<b>2</b> ½	Inside	No	XD	HP10438
	RATED UP TO 7500LBS	HP10355-X-J »	L6504	<b>2</b> ½	Inside	No	XDJ	HP10438J
2022-2024	SIERRA/SILVERADO 2500HD (2WD/4WD)	HP10585 <sup>»</sup>	L6575	<b>2</b> ½	Inside	No	DC	HP10000
	Will not fit vehicles equipped with Curt 5th wheel packages	HP10585-J »	L6575	<b>2</b> ½	Inside	No	DCJ	HP10000J
2022-2024	SIERRA/SILVERADO 2500HD (2WD/4WD)	HP10585-X <sup>»</sup>	L6575	<b>2</b> ½	Inside	No	XD	HP10438
	Will not fit vehicles equipped with Curt 5th wheel packages RATED UP TO 7500LBS	HP10585-X-J »	L6575	<b>2</b> ½	Inside	No	XDJ	HP10438J

PL	EASE NOTE: Kits are designed to fit stock	ng the fitment in our application guides.	Rate	ed up to 5000lbs unless otherwise stated.						
<b>=</b>	REPLACEMENT AIR SPRING PART #	8	AIR SPRING STYLE	(*)	SUGGESTED INSTALL TIME (HOURS)	*	YEHICLE MODIFICATION REQUIRED			
K	IN-COIL	55	STANDARD DUTY SLEEVE STYLE	DC	HEAVY DUTY DOUBLE CONVOLUTED	DCJ	HD DOUBLE CONVOLUTED W/ JOUNCE			
5C	HEAVY DUTY SINGLE CONVOLUTED	SCJ	HD SINGLE CONVOLUTED W/ JOUNCE	XD	XTREME DUTY DOUBLE CONVOLUTED	XDJ	XD DOUBLE CONVOLUTED W/ JOUNCE			
•	DRILLING MAY BE REQUIRED ON TRUCKS WITH	I AN AFT	ERMARKET 5™ WHEEL HITCH	+	HP10019 KITS FIT WITH A REESE 5th WHEEL RA	L KIT (N	ODELS 30033, 30035 & 30729)			
*	* HP10033 KITS REQUIRE 6" BETWEEN THE TIRE AND FRAME				HP10070 KITS FIT WITH A DRAW TITE 15000 5™ \	VHEEL H	IITCH			
**	** WILL NOT FIT MODELS WITH RIDE HEIGHT SENSORS				‡ HP10002 KITS FIT WITH 3349 & 3319 SUPERGLIDE 5TH WHEEL RAIL KITS ON 4WD VEHICLES					
<b>»</b>	FOR ALL TRUCKS, INCLUDING THOSE WITH 5™ WHEEL HITCHES. NOT FOR CHASSIS CAB TRUCKS				HP10089 KITS WILL NOT FIT WITH 3349 & 3319 S	UPERGL	IDE 5™ WHEEL RAIL KITS ON 2WD VEHICLES			
<	FOR 'C' CHANNEL FRAMES	=	FOR HYDRO FORMED FRAMES	•	SEE MANUAL OR CALL 800.663.0096 FOR SPECIF	IC SUB-	MODEL APPLICATIONS			



USA

1670 Grant Ave, Blaine, WA 98230 - 800.663.0096 / pacbrake.com





YEAR

2020-2021

2022-2024

2022-2024

MAKE/MODEL

Chevrolet Silverado/GMC Sierra 3500

KIT #











HP10438

HP10438J

HP10000

HP10000J

HP10438

HP10438J

## CHEVROLET/GMC

1973-1987	C-30 (2WD)	HP10019 + L		3	Outside	Yes	DC	HP10000
		HP10019-J +	L5685	3	Outside	Yes	DCJ	HP10000J
1973-1987	C-30 (2WD)	HP10033 *	L6030	<b>2</b> ½	Outside	Yes	SS	HP10001
1973-1987	K-30 (4WD)	HP10019 +	L5685	3	Outside	Yes	DC	HP10000
		HP10019-J +	L5685	3	Outside	Yes	DCJ	HP10000J
1988-2000	SIERRA/SILVERADO K/C 3500 (2WD/4WD)	HP10088 <	L5932	3	Inside	Yes	DC	HP10000
	Will only fit vehicles with a Frame to Axle Pad distance of 7.25" or more	HP10088-J <	L5932	3	Inside	Yes	DCJ	HP10000J
1988-2000	SIERRA/SILVERADO K/C 3500 (2WD/4WD)	HP10120 <	L5932	3	Inside	Yes	SC	HP10083
	Will only fit vehicles with a Frame to Axle Pad distance of 7.25" or less	HP10120-J <	L5932	3	Inside	Yes	SCJ	HP10083J
2001-2010	SIERRA/SILVERADO 3500HD (2WD/4WD)	HP10005	L5683	2	Inside	No	DC	HP10000
	Will not fit commercial cab & chassis	HP10005-J	L5683	2	Inside	No	DCJ	HP10000
2001-2010	SIERRA/SILVERADO 3500HD (2WD/4WD)	HP10005-X <sup>»</sup>	L6519	2	Inside	No	XD	HP10438
	RATED UP TO 7500LBS	HP10005-X-J »	L6519	2	Inside	No	XDJ	HP10438J
2011-2019	SIERRA/SILVERADO 3500HD (2WD/4WD)	HP10171 »	L6135	<b>2</b> ½	Inside	No◆	DC	HP10000
		HP10171-J <sup>»</sup>	L6135	<b>2</b> ½	Inside	No◆	DCJ	HP10000J
2011-2019	SIERRA/SILVERADO 3500HD (2WD/4WD)	HP10171-X <sup>»</sup>	L6518	<b>2</b> ½	Inside	No◆	XD	HP10438
	RATED UP TO 7500LBS	HP10171-X-J »	L6518	<b>2</b> ½	Inside	No◆	XDJ	HP10438J
2020-2021	SIERRA/SILVERADO 3500HD (2WD/4WD)	HP10355 <sup>»</sup>	L6502	<b>2</b> ½	Inside	No	DC	HP10000
		HP10355-J <sup>»</sup>	L6502	<b>2</b> ½	Inside	No	DCJ	HP10000J

HP10355-X »

HP10585 »

HP10585-J »

HP10585-X »

HP10585-X-J »

HP10355-X-J »

L6504

L6504

L6575

L6575

L6575

L6575

21/2

21/2

**2**½

21/2

21/2

21/2

Inside

Inside

Inside

Inside

Inside

Inside

No

No

No

No

Nο

No

XD

XDJ

DC

DCJ

XD

XDJ

#### Chevrolet/GMC Motorhomes (Class C Vans) & Commercial Vehicles

Will not fit vehicles equipped with Curt 5th wheel packages RATED UP TO 7500LBS

SIERRA/SILVERADO 3500HD (2WD/4WD)

SIERRA/SILVERADO 3500HD (2WD/4WD)

Will not fit vehicles equipped with Curt 5th wheel packages

SIERRA/SILVERADO 3500HD (2WD/4WD)

RATED UP TO 7500LBS

Cileviole	Cheviolet, divid motornomes (Class C valls) & Commercial vehicles											
2013-2015	CLASS C MOTORHOME G3500 (2WD) DRW VEHICLES	HP10227	L6386	2	Inside	No	SC	HP10083				
		HP10227-J	L6386	2	Inside	No	SCJ	HP10083J				
2013-2015 CLASS C MOTORHOME G4500 (2WD) DRW VEHICLES		HP10227	L6386	2	Inside	No	SC	HP10083				
	HP10227-J	L6386	2	Inside	No	SCJ	HP10083J					
2018-2024	SILVERADO 4500HD / 5500HD (2WD/4WD) CAB & CHASSIS	HP10373-X	L6517	<b>2</b> ½	Inside	Yes	XD	HP10438				
RATED UP	RATED UP TO 7500LBS	HP10373-X-J	L6517	<b>2</b> ½	Inside	Yes	XDJ	HP10438J				
2018-2024	INTERNATIONAL CV CLASS 4 / 5 TRUCKS RATED UP TO 7500LBS	HP10373-X	L6517	<b>2</b> ½	Inside	Yes	XD	HP10438				
		HP10373-X-J	L6517	2 1/2	Inside	Yes	XDJ	HP10438J				

PL	EASE NOTE: Kits are designed to fit stock	vehicle	s. For modified vehicles we recommend o	g the fitment in our	ent in our application guides. Rated up to 5000lbs unless otherwise							
8	REPLACEMENT AIR SPRING PART #	8	AIR SPRING STYLE		SUGGESTED INS	TALL TIME (HOURS)	*	VEHICLE MODIFICATION REQUIRED				
K	IN-COIL	55	STANDARD DUTY SLEEVE STYLE	DC	HEAVY DUTY DO	DUBLE CONVOLUTED	DCJ	HD DOUBLE CONVOLUTED W/ JOUNCE				
5C	HEAVY DUTY SINGLE CONVOLUTED	SCJ	HD SINGLE CONVOLUTED W/ JOUNCE	XD	XTREME DUTY D	OOUBLE CONVOLUTED	XDJ	XD DOUBLE CONVOLUTED W/ JOUNCE				
•	DRILLING MAY BE REQUIRED ON TRUCKS WITH	ERMARKET 5™ WHEEL HITCH	+	HP10019 KITS FIT WI	TH A REESE 5th WHEEL RAI	L KIT (M	ODELS 30033, 30035 & 30729)					
*	* HP10033 KITS REQUIRE 6" BETWEEN THE TIRE AND FRAME				HP10070 KITS FIT WI	TH A DRAW TITE 15000 5TH V	15000 5™ WHEEL HITCH					
**	** WILL NOT FIT MODELS WITH RIDE HEIGHT SENSORS			#	‡ HP10002 KITS FIT WITH 3349 & 3319 SUPERGLIDE 5™ WHEEL RAIL KITS ON 4WD VEHICLES							
>>	» FOR ALL TRUCKS, INCLUDING THOSE WITH 5™ WHEEL HITCHES. NOT FOR CHASSIS CAB TRUCKS				HP10089 KITS WILL N	NOT FIT WITH 3349 & 3319 S	UPERGL	IDE 5™ WHEEL RAIL KITS ON 2WD VEHICLES				
	EOD 'C' CHANNEL EDAMES	_	EOD HADDO EODWED EDWINES	<b>A</b>	SEE MANITAL OR CA	II 800 883 0008 EUB SDECIE	IC CLIB I	MODEL ADDITIONS				



1670 Grant Ave, Blaine, WA 98230 - 800.663.0096 / pacbrake.com

26688 56 Ave, Langley, BC V4W 3X5 • **EMAIL** info@pacbrake.com • **FAX** 604.882.2330





YEAR

MAKE/MODEL

KIT #

INSTALL MANUAL







## DODGE/RAM

	Dod	ae	SU	Vs
--	-----	----	----	----

Dodge S	UVs							
1974-1993	RAM CHARGER (2WD/4WD)	HP10033 *	L6030	<b>2</b> ½	Outside	Yes	SS	HP10001
Dodge P	ickup Trucks							
1987-2004	DAKOTA (4WD)	HP10033 *	L6030	21/2	Outside	Yes	SS	HP10001
2005-2011	DAKOTA (2WD/4WD)	HP10220 �	L6370	21/2	Outside	Yes	SS	HP10001
2000-2001	DAKOTA RT (2WD)	HP10033 *	L6030	<b>2</b> ½	Outside	Yes	SS	HP10001
1969-1993	<b>W-100</b> (2WD/4WD)	HP10033 *	L6030	<b>2</b> ½	Outside	Yes	SS	HP10001
1969-1993	W-100 (2WD/4WD) HEAVY LOADS	HP10019 +	L5685	3	Outside	Yes	DC	HP10000
		HP10019-J +	L5685	3	Outside	Yes	DCJ	HP10000J
1969-1993	<b>D-150, W-150 (</b> 2WD/4WD)	HP10033 *	L6030	<b>2</b> ½	Outside	Yes	SS	HP10001
1969-1993	D-150, W-150 (2WD/4WD) HEAVY LOADS	HP10019 +	L5685	3	Outside	Yes	DC	HP10000
		HP10019-J +	L5685	3	Outside	Yes	DCJ	HP10000J
1969-1993	<b>D-250, W-250 (</b> 2WD/4WD)	HP10019 +	L5685	3	Outside	Yes	DC	HP10000
		HP10019-J +	L5685	3	Outside	Yes	DCJ	HP10000J
1969-1993	<b>D-350, W-350 (</b> 2WD/4WD)	HP10019 +	L5685	3	Outside	Yes	DC	HP10000
		HP10019-J +	L5685	3	Outside	Yes	DCJ	HP10000J
Ram 150	00							
1994-2001	<b>RAM 1500 (2WD/4WD)</b>	HP10033 *	L6030	<b>2</b> ½	Outside	Yes	SS	HP10001
1994-2001	RAM 1500 (2WD) HEAVY LOADS	HP10019 +	L5685	3	Outside	Yes	DC	HP10000
		HP10019-J +	L5685	3	Outside	Yes	DCJ	HP10000J
2002-2008	RAM 1500 (2WD/4WD) HEAVY LOADS	HP10071	L5835	<b>2</b> ½	Inside	No	DC	HP10000
		HP10071-J	L5835	21/2	Inside	No	DCJ	HP10000J
2009-2024	<b>RAM 1500 (</b> 2WD/4WD)	HP10337	L6480	2	Inside	No	SC	HP10083
	Will not fit TRX models or models with factory air suspension	HP10337-J	L6480	2	Inside	No	SCJ	HP10083J
2019-2023	RAM 1500 CLASSIC (2WD/4WD)	HP10337	L6480	2	Inside	No	SC	HP10083
	Will not fit TRX models or models with factory air suspension	HP10337-J	L6480	2	Inside	No	SCJ	HP10083J
2009-2023	RAM 1500 CLASSIC (2WD/4WD) Will not fit TRX models or models with factory air suspension	HP10567	L6576	1	Inside	No	IC	HP10560
2006-2008	RAM 1500 MEGA CAB (4WD)	HP10002 <sup>‡</sup>	L5682	2	Inside	No	DC	HP10000

PL	PLEASE NOTE: Kits are designed to fit stock vehicles. For modified vehicles we recommend checking the fitment in our application guides.  Rated up to 5000lbs unless otherwise stated.									
8	REPLACEMENT AIR SPRING PART #	_	AIR SPRING STYLE			STALL TIME (HOURS)	_	VEHICLE MODIFICATION REQUIRED		
K	IN-COIL	55	STANDARD DUTY SLEEVE STYLE	DC	НЕДУУ ВИТУ В	OOUBLE CONVOLUTED	DCJ	HD DOUBLE CONVOLUTED W/ JOUNCE		
5C	HEAVY DUTY SINGLE CONVOLUTED	SCJ	HD SINGLE CONVOLUTED W/ JOUNCE	XD	XTREME DUTY	DOUBLE CONVOLUTED	XDJ	XD DOUBLE CONVOLUTED W/ JOUNCE		
•	DRILLING MAY BE REQUIRED ON TRUCKS WITH	AN AFT	ERMARKET 5™ WHEEL HITCH	+	+ HP10019 KITS FIT WITH A REESE 5th WHEEL RAIL KIT (MODELS 30033, 30035 & 30729)					
*	HP10033 KITS REQUIRE 6" BETWEEN THE TIRE A	tt	HP10070 KITS FIT V	VITH A DRAW TITE 15000 5TH \	WHEEL H	HITCH				
**	** WILL NOT FIT MODELS WITH RIDE HEIGHT SENSORS				‡ HP10002 KITS FIT WITH 3349 & 3319 SUPERGLIDE 5™ WHEEL RAIL KITS ON 4WD VEHICLES					
>>	FOR ALL TRUCKS, INCLUDING THOSE WITH 5™ \	#	HP10089 KITS WILL	L NOT FIT WITH 3349 & 3319 S	UPERGL	IDE 5™ WHEEL RAIL KITS ON 2WD VEHICLES				
<	FOR 'C' CHANNEL FRAMES	=	FOR HYDRO FORMED FRAMES	•	SEE MANUAL OR C	CALL 800.663.0096 FOR SPECIF	IC SUB-	MODEL APPLICATIONS		



RAM 1500 MEGA CAB (2WD)

2006-2008

HP10002-J <sup>‡</sup>

HP10089-J#

HP10089#

L5682

L5682

L5682

2

2

2

Inside

Inside

Inside

No

No

No

DCJ

SC

SCJ

HP10000J

HP10083

HP10083J







YEAR

MAKE/MODEL

KĮT#











## DODGE/RAM

Dam	nr	
Kam		

1994-2002	<b>RAM 2500</b> (2WD/4WD)	HP10019 +	L5685	3	Outside	Yes	DC	HP10000
		HP10019-J +	L5685	3	Outside	Yes	DCJ	HP10000J
2003-2013	RAM 2500 (4WD) INCLUDING MEGA CAB	HP10002 <sup>‡</sup>	L5682	2	Inside	No	DC	HP10000
		HP10002-J <sup>‡</sup>	L5682	2	Inside	No	DCJ	HP10000J
2013	RAM 2500 (4WD) INCLUDING MEGA CAB	HP10002-X <sup>‡</sup>	L6520	2	Inside	No	XD	HP10438
	RATED UP TO 7500 <sub>LBS</sub>	HP10002-X-J <sup>‡</sup>	L6520	2	Inside	No	XDJ	HP10438J
2003-2013	RAM 2500 (2WD) INCLUDING MEGA CAB	HP10089#	L5682	2	Inside	No	SC	HP10083
		HP10089-J#	L5682	2	Inside	No	SCJ	HP10083J
2014-2024	<b>RAM 2500</b> (2WD/4WD)	HP10206	L6345	2	Inside	No	DC	HP10000
	Will not fit with factory optional air equipped	HP10206-J	L6345	2	Inside	No	DCJ	HP10000J
2014-2024	<b>RAM 2500</b> (2WD/4WD)	HP10206-X	L6521	2	Inside	No	XD	HP10438
	Will not fit with factory optional air equipped RATED UP TO 7500LBS	HP10206-X-J	L6521	2	Inside	No	XDJ	HP10438J

#### Ram 3500

1994-2002	<b>RAM 3500</b> (2WD/4WD)	HP10019 +	L5685	3	Outside	Yes	DC	HP10000
		HP10019-J +	L5685	3	Outside	Yes	DCJ	HP10000J
2003-2018	RAM 3500 (4WD) INCLUDING MEGA CAB	HP10002 <sup>‡</sup>	L5682	2	Inside	No	DC	HP10000
		HP10002-J <sup>‡</sup>	L5682	2	Inside	No	DCJ	HP10000J
2013-2018	RAM 3500 (4WD) INCLUDING MEGA CAB	HP10002-X <sup>‡</sup>	L6520	2	Inside	No	XD	HP10438
	RATED UP TO 7500LBS	HP10002-X-J <sup>‡</sup>	L6520	2	Inside	No	XDJ	HP10438J
2003-2018	RAM 3500 (2WD) INCLUDING MEGA CAB	HP10089#	L5682	2	Inside	No	SC	HP10083
		HP10089-J#	L5682	2	Inside	No	SCJ	HP10083J
2019-2024	<b>RAM 3500</b> (2WD/4WD)	HP10368	L6512	<b>2</b> ½	Inside	No	DC	HP10000
	Will not fit with factory optional air equipped or cab & chassis models.	HP10368-J	L6512	<b>2</b> ½	Inside	No	DCJ	HP10000J
2019-2024	<b>RAM 3500</b> (2WD/4WD)	HP10368-X	L6512	<b>2</b> ½	Inside	No	XD	HP10438
	Will not fit with factory optional air equipped or cab & chassis models. RATED UP TO 7500Lss	HP10368-X-J	L6512	<b>2</b> ½	Inside	No	XDJ	HP10438J

PLI	<b>EASE NOTE</b> : Kits are designed to fit stock vehicles. For modified vehicles we recommend				g the fitment in our application guides.	Rated up to 5000lbs unless otherwise stated.			
#	REPLACEMENT AIR SPRING PART #	8	AIR SPRING STYLE		SUGGESTED INSTALL TIME (HOURS)	*	VEHICLE MODIFICATION REQUIRED		
K	IN-COIL	55	STANDARD DUTY SLEEVE STYLE	DC	HEAVY DUTY DOUBLE CONVOLUTED	DCJ	HD DOUBLE CONVOLUTED W/ JOUNCE		
SC	HEAVY DUTY SINGLE CONVOLUTED	<b>SCJ</b>	HD SINGLE CONVOLUTED W/ JOUNCE	XD	XTREME DUTY DOUBLE CONVOLUTED	XDJ	XD DOUBLE CONVOLUTED W/ JOUNCE		
•	DRILLING MAY BE REQUIRED ON TRUCKS WITH	AN AFT	ERMARKET 5™ WHEEL HITCH	+	HP10019 KITS FIT WITH A REESE 5th WHEEL RAI	L KIT (M	ODELS 30033, 30035 & 30729)		
*	HP10033 KITS REQUIRE 6" BETWEEN THE TIRE A	ND FRAI	ME	Ħ	HP10070 KITS FIT WITH A DRAW TITE 15000 5™ V	VHEEL H	ITCH		
**	* WILL NOT FIT MODELS WITH RIDE HEIGHT SENSORS			‡	‡ HP10002 KITS FIT WITH 3349 & 3319 SUPERGLIDE 5™ WHEEL RAIL KITS ON 4WD VEHICLES				
<b>&gt;&gt;</b>	FOR ALL TRUCKS, INCLUDING THOSE WITH 5TH V	VHEEL H	ITCHES. NOT FOR CHASSIS CAB TRUCKS	#	# HP10089 KITS WILL NOT FIT WITH 3349 & 3319 SUPERGLIDE 5™ WHEEL RAIL KITS ON 2WD VEHICLES				
<	FOR 'C' CHANNEL FRAMES	=	FOR HYDRO FORMED FRAMES	<b>*</b>	SEE MANUAL OR CALL 800.663.0096 FOR SPECIF	IC SUB-I	MODEL APPLICATIONS		



1670 Grant Ave, Blaine, WA 98230 - 800.663.0096 / pacbrake.com





YEAR

MAKE/MODEL

KIT #







# DODGE/RAM

Dodgo	Vane	'Commercial	Vahicles
Doage	vans/	Commerciai	venicies

Dodge V	ans/Commercial Vehicles							
2013-2024	RAM ProMaster 1500 (2WD/4WD)	HP10365	L6511	2	Inside	No	SC	HP10083
		HP10365-J	L6511	2	Inside	No	SCJ	HP10083J
2013-2024	RAM ProMaster 2500 (2WD/4WD)	HP10365	L6511	2	Inside	No	SC	HP10083
		HP10365-J	L6511	2	Inside	No	SCJ	HP10083J
2013-2024	RAM ProMaster 3500 (2WD/4WD)	HP10365	L6511	2	Inside	No	SC	HP10083
		HP10365-J	L6511	2	Inside	No	SCJ	HP10083J
2006-2018	RAM 3500 (2WD/4WD) CAB & CHASSIS The HP10136 must be purchased for vehicles that have a round axle tube with the breather	<b>HP10002</b> <sup>‡</sup> & HP10136	L5682	2	Inside	No	DC	HP10000
	located approximately 7" from the spring pack.	HP10002-J <sup>‡</sup> & HP10136	L5682	2	Inside	No	DCJ	HP10000J
2019-2020	RAM 3500 (2WD/4WD) CAB & CHASSIS The HP10349 must be purchased for vehicles that have a round axle tube with the breather	HP10002 <sup>‡</sup> & HP10349	L5682	2	Inside	No	DC	HP10000
	located approximately 7° from the spring pack.	HP10002-J <sup>‡</sup> & HP10349	L5682	2	Inside	No	DCJ	HP10000J
2007-2009	<b>RAM 4500</b> (2WD/4WD) cab & chassis	HP10121	L5934	3	Inside	No	DC	HP10068
		HP10121-X-J	L5934	3	Inside	No	XDJ	HP10438J
2018-2024	<b>RAM 4500</b> (2WD/4WD) cab & chassis	HP10371-X	L6516	<b>2</b> ½	Inside	Yes	XD	HP10438
	RATED UP TO 7500LBS	HP10371-X-J	L6516	21/2	Inside	Yes	XDJ	HP10438J
2010-2020	<b>RAM 4500 (</b> 2WD/4WD) cab & chassis	HP10321	L6454	2	Inside	No	DC	HP10068
2010-2020	RAM 4500 (2WD/4WD) CAB & CHASSIS RATED UP TO 7500LBS	HP10321-X-J	L6454	2	Inside	No	XDJ	HP10438J
2007-2009	<b>RAM 5500</b> (2WD/4WD) cab & chassis	HP10121	L5934	3	Inside	No	DC	HP10068
		HP10121-X-J	L5934	3	Inside	No	XDJ	HP10438J
2010-2020	<b>RAM 5500</b> (2WD/4WD) cab & chassis	HP10321	L6454	2	Inside	No	DC	HP10068
2010-2020	RAM 5500 (2WD/4WD) CAB & CHASSIS RATED UP TO 7500LBS	HP10321-X-J	L6454	2	Inside	No	XDJ	HP10438J
2018-2024	<b>RAM 5500</b> (2WD/4WD) cab & chassis	HP10371-X	L6516	<b>2</b> ½	Inside	Yes	XD	HP10438
	RATED UP TO 7500LBS	HP10371-X-J	L6516	<b>2</b> ½	Inside	Yes	XDJ	HP10438J
2007-2009	<b>SPRINTER 2500 (</b> 2WD)	HP10147	L6037	21/2	Inside	Yes	DC	HP10000
		HP10147-J	L6037	21/2	Inside	Yes	DCJ	HP10000J
2007-2024	<b>SPRINTER 2500 / 3500 (</b> 2WD/4WD) <b>SRW VEHICLES</b>	HP10395 **	L6536	2	Inside	No	DC	HP10000
	Will not fit E-Sprinter models	HP10395-J **	L6536	2	Inside	No	DCJ	HP10000J
2007-2024	<b>SPRINTER 2500 / 3500 (</b> 2WD/4WD) <b>srw</b> vehicles	HP10395-X **	L6536	2	Inside	No	XD	HP10438
	Will not fit E-Sprinter models RATED UP TO 7500LBS	HP10395-X-J **	L6536	2	Inside	No	XDJ	HP10438J
2007-2024	SPRINTER 3500XD / 4500 (2WD/4WD) DRW VEHICLES	HP10391 **	L6527	2	Inside	No	DC	HP10000
	Will not fit E-Sprinter models	HP10391-J **	L6527	2	Inside	No	DCJ	HP10000J
2007-2024	SPRINTER 3500XD / 4500 (2WD/4WD) DRWVEHICLES	HP10391-X **	L6527	2	Inside	No	XD	HP10438
	Will not fit E-Sprinter models RATED UP TO 7500LBS	HP10391-X-J **	L6527	2	Inside	No	XDJ	HP10438J

PLI	ASE NOTE: Kits are designed to fit stock vehicles. For modified vehicles we recommend	checkin	ng the fitment in our application guides. Rated up to 5000lbs unless otherwise stated.					
8	REPLACEMENT AIR SPRING PART #   👸   AIR SPRING STYLE		SUGGESTED INSTALL TIME (HOURS) YEHICLE MODIFICATION REQUIRED					
K	IN-COIL SS STANDARD DUTY SLEEVE STYLE	DC	HEAVY DUTY DOUBLE CONVOLUTED DCJ HD DOUBLE CONVOLUTED W/ JOUNCE					
5C	HEAVY DUTY SINGLE CONVOLUTED SCJ HD SINGLE CONVOLUTED W/ JOUNCE	XD	XTREME DUTY DOUBLE CONYOLUTED XDJ XD DOUBLE CONYOLUTED W/ JOUNCE					
•	DRILLING MAY BE REQUIRED ON TRUCKS WITH AN AFTERMARKET 5™ WHEEL HITCH	+	HP10019 KITS FIT WITH A REESE 5th WHEEL RAIL KIT (MODELS 30033, 30035 & 30729)					
*	HP10033 KITS REQUIRE 6" BETWEEN THE TIRE AND FRAME	TT.	HP10070 KITS FIT WITH A DRAW TITE 15000 5™ WHEEL HITCH					
**	WILL NOT FIT MODELS WITH RIDE HEIGHT SENSORS	#	‡ HP10002 KITS FIT WITH 3349 & 3319 SUPERGLIDE 5™ WHEEL RAIL KITS ON 4WD VEHICLES					
>>	FOR ALL TRUCKS, INCLUDING THOSE WITH 5 <sup>TH</sup> WHEEL HITCHES. NOT FOR CHASSIS CAB TRUCKS	#	HP10089 KITS WILL NOT FIT WITH 3349 & 3319 SUPERGLIDE 5™ WHEEL RAIL KITS ON 2WD VEHICLES					
<	FOR 'C' CHANNEL FRAMES = FOR HYDRO FORMED FRAMES	•	SEE MANUAL OR CALL 800.663.0096 FOR SPECIFIC SUB-MODEL APPLICATIONS					



1670 Grant Ave, Blaine, WA 98230 - 800.663.0096 / pacbrake.com





YEAR	MAKE/MODEL	<b>К</b> (Т #	INSTALL MANUAL	(V)	FRAME MOUNT	1000	8	
FORD								
Ford SU	<i>Vs</i>							
1980-1996	BRONCO (4WD)	HP10033 *	L6030	<b>2</b> ½	Outside	Yes	SS	HP10001
1983-1990	BRONCO II (4WD)	HP10033 *	L6030	<b>2</b> ½	Outside	Yes	SS	HP10001
Ford Pic	kup Trucks							
1998-2010	RANGER (2WD/4WD)	HP10019 +	L5685	3	Outside	Yes	DC	HP10000
	Will only fit with stock wheels and tires	HP10019-J +	L5685	3	Outside	Yes	DCJ	HP10000J
2019+	RANGER (2WD/4WD) EXCLUDES TREMOR	HP10352	L6491	2	Outside	No	SS	HP10199
1966-1996	F-100 (4WD) HEAVY LOADS	HP10019 +	L5685	3	Outside	Yes	DC	HP10000
		HP10019-J +	L5685	3	Outside	Yes	DCJ	HP10000J
1966-1996	F-100 (4WD) LIGHT LOADS	HP10033 *	L6030	<b>2</b> ½	Outside	Yes	SS	HP10001
1968-1996	F-100 (2WD) HEAVY LOADS	HP10019 +	L5685	3	Outside	Yes	DC	HP10000
		HP10019-J +	L5685	3	Outside	Yes	DCJ	HP10000J
1968-1996	F-100 (2WD) LIGHT LOADS	HP10033 *	L6030	<b>2</b> ½	Outside	Yes	SS	HP10001
Ford F-1	<b>50</b>							
1966-1996	F-150 (4WD) HEAVY LOADS	HP10019 +	L5685	3	Outside	Yes	DC	HP10000
		HP10019-J +	L5685	3	Outside	Yes	DCJ	HP10000J
1968-1996	F-150 (2WD) HEAVY LOADS	HP10019 +	L5685	3	Outside	Yes	DC	HP10000
		HP10019-J +	L5685	3	Outside	Yes	DCJ	HP10000J
1968-1996	F-150 (2WD) LIGHT LOADS	HP10033 *	L6030	<b>2</b> ½	Outside	Yes	SS	HP10001
1997-2003	F-150 (2WD/4WD) INCLUDING HERITAGE	HP10033 *	L6030	21/2	Outside	Yes	SS	HP10001
2004-2008	F-150 (2WD/4WD) HEAVY LOADS	HP10004	L5681	2	Outside	No	DC	HP10000
	Will not fit FX2	HP10004-J	L5681	2	Outside	No	DCJ	HP10000J
2004-2014	F-150 (4WD) EXCLUDES RAPTOR	HP10212	L6335	<b>2</b> ½	Inside	No	DC	HP10000
		HP10212-J	L6335	<b>2</b> ½	Inside	No	DCJ	HP10000J
2004-2014	F-150 (2WD) EXCLUDES RAPTOR	HP10605	L6335	<b>2</b> ½	Inside	No	SC	HP10083
		HP10605-J	L6335	<b>2</b> ½	Inside	No	SCJ	HP10083J
2015-2020	F-150 (4WD) EXCLUDES RAPTOR	HP10358	L6497	1 1/2	Outside	No	DC	HP10000
		HP10358-J	L6497	1 1/2	Outside	No	DCJ	HP10000J
2021-2024	F-150 (2WD*/4WD) INCLUDING POWER BOOST	HP10402	L6539	2	Outside	No	DC	HP10000
	**EXCLUDES RAPTOR & LIGHTNING  **2WD applications require use of 2" spacer HP10152.  *Vehicles equipped with CCD (continuously controlled dampening) require additional passenger side rear height sensor relocation brackets HP10402-RH.	HP10402-J	L6539	2	Outside	No	DCJ	HP10000J

PLI	<b>LEASE NOTE</b> : Kits are designed to fit stock vehicles. For modified vehicles we recommend			heckin	g the fitment in our application guides.	Rated up to 5000lbs unless otherwise stated.				
<b>#</b>	REPLACEMENT AIR SPRING PART #	8	AIR SPRING STYLE		SUGGESTED INSTALL TIME (HOURS)	3	YEHICLE MODIFICATION REQUIRED			
K	IN-COIL	55	STANDARD DUTY SLEEVE STYLE	DC	HEAVY DUTY DOUBLE CONVOLUTED	DCJ	HD DOUBLE CONVOLUTED W/ JOUNCE			
SC	HEAVY DUTY SINGLE CONVOLUTED	SCJ	HD SINGLE CONVOLUTED W/ JOUNCE	XD	XTREME DUTY DOUBLE CONVOLUTED	XDJ	XD DOUBLE CONVOLUTED W/ JOUNCE			
•	DRILLING MAY BE REQUIRED ON TRUCKS WITH	AN AFT	ERMARKET 5™ WHEEL HITCH	+	HP10019 KITS FIT WITH A REESE 5th WHEEL RAI	L KIT (M	ODELS 30033, 30035 & 30729)			
*	HP10033 KITS REQUIRE 6" BETWEEN THE TIRE A	ND FRAI	ME	††	†† HP10070 KITS FIT WITH A DRAW TITE 15000 5™ WHEEL HITCH					
**	** WILL NOT FIT MODELS WITH RIDE HEIGHT SENSORS			‡	HP10002 KITS FIT WITH 3349 & 3319 SUPERGLIDI	P10002 KITS FIT WITH 3349 & 3319 SUPERGLIDE 5™ WHEEL RAIL KITS ON 4WD VEHICLES				
<b>&gt;&gt;</b>	FOR ALL TRUCKS, INCLUDING THOSE WITH 5TH V	VHEEL H	ITCHES. NOT FOR CHASSIS CAB TRUCKS	#	# HP10089 KITS WILL NOT FIT WITH 3349 & 3319 SUPERGLIDE 5™ WHEEL RAIL KITS ON 2WD VEHICLES					
<	FOR 'C' CHANNEL FRAMES	=	FOR HYDRO FORMED FRAMES	•	SEE MANUAL OR CALL 800.663.0096 FOR SPECIFIC	C SUB-	MODEL APPLICATIONS			







YEAR

MAKE/MODEL

**K**(T #

INSTALL MANUAL







## **FORD**

E- I E OE			
	Lord		

roru r-2;								
1969-1979	F-250 (2WD) UNDER 7500 GVWR	HP10019 +	L5685	3	Outside	Yes	DC	HP10000
		HP10019-J +	L5685	3	Outside	Yes	DCJ	HP10000J
1980-1996	<b>F-250</b> (2WD)	HP10019 +	L5685	3	Outside	Yes	DC	HP10000
		HP10019-J +	L5685	3	Outside	Yes	DCJ	HP10000J
1980-1997	F-250 (4WD) '97 HEAVY DUTY OVER 8600 GVWR	HP10019 +	L5685	3	Outside	Yes	DC	HP10000
		HP10019-J +	L5685	3	Outside	Yes	DCJ	HP10000J
1997-1998	F-250 LIGHT DUTY (2WD/4WD) UNDER 7500 GVWR	HP10019 +	L5685	3	Outside	Yes	DC	HP10000
		HP10019-J +	L5685	3	Outside	Yes	DCJ	HP10000J
1999-2010	F-250 SUPER DUTY (2WD/4WD)	HP10070 ††	L5754	3	Outside	Yes	DC	HP10000
		HP10070-J ††	L5754	3	Outside	Yes	DCJ	HP10000J
2005-2010	F-250 SUPER DUTY (2WD)	HP10182 »	L6220	4	Inside	No◆	DC	HP10000
		HP10182-J <sup>»</sup>	L6220	4	Inside	No◆	DCJ	HP10000J
2005-2010	F-250 SUPER DUTY (4WD)	HP10181 <sup>»</sup>	L6220	4	Inside	No◆	DC	HP10000
		HP10181-J <sup>»</sup>	L6220	4	Inside	No◆	DCJ	HP10000J
2010-2016	F-250 SUPER DUTY (2WD/4WD)	HP10070 ††	L5754	3	Outside	Yes	DC	HP10000
	Will not fit vehicles with factory installed 5th wheel hitch	HP10070-J ††	L5754	3	Outside	Yes	DCJ	HP10000J
2011-2016	F-250 SUPER DUTY (2WD)	HP10194 <sup>»</sup>	L6219	4	Inside	No◆	DC	HP10000
		HP10194-J <sup>»</sup>	L6219	4	Inside	No◆	DCJ	HP10000J
2011-2016	F-250 SUPER DUTY (2WD/4WD)	HP10387 <sup>»</sup>	L6450	2	Inside	No◆	DC	HP10000
		HP10387-J <sup>»</sup>	L6450	2	Inside	No◆	DCJ	HP10000J
2011-2016	F-250 SUPER DUTY (2WD/4WD)	HP10387-X <sup>»</sup>	L6526	2	Inside	No◆	XD	HP10438
	RATED UP TO 7500LBS	HP10387-X-J <sup>»</sup>	L6526	2	Inside	No◆	XDJ	HP10438J
2017-2022	F-250 SUPER DUTY (2WD/4WD*) SRW & DRW	HP10401	L6537	<b>2</b> ½	Inside	No◆	DC	HP10000
	Will not fit cab & chassis models. <sup>▼</sup> 4WD Vehicles equipped with a rear sway bar or camper package need the HP10540 retrofit kit	HP10401-J	L6537	<b>2</b> ½	Inside	No◆	DCJ	HP10000J
2017-2022	F-250 SUPER DUTY (2WD/4WD*) SRW & DRW	HP10401-X	L6538	<b>2</b> ½	Inside	No◆	XD	HP10438
	Will not fit cab & chassis models. ▼4WD Vehicles equipped with a rear sway bar or camper package need the HP10540 retrofit kit RATED UP TO 7500 LBS	HP10401-X-J	L6538	<b>2</b> ½	Inside	No◆	XDJ	HP10438J
2023-2024	F-250 SUPER DUTY (2WD/4WD*) SRW & DRW DIESEL ENGINES ONLY	HP10401	L6537	21/2	Inside	No◆	DC	HP10000
	Will not fit cab & chassis models. <b>*4WD Vehicles</b> equipped with a rear sway bar or camper package need the HP10540 retrofit kit	HP10401-J	L6537	<b>2</b> ½	Inside	No◆	DCJ	HP10000J
2023-2024	F-250 SUPER DUTY (2WD/4WD*) SRW & DRW DIESEL ENGINES ONLY	HP10401-X	L6538	<b>2</b> ½	Inside	No◆	XD	HP10438
	Will not fit cab & chassis models. <b>*4WD Vehicles</b> equipped with a rear sway bar or camper package need the HP10540 retrofit kit RATED UP TO 7500 <sub>LBS</sub>	HP10401-X-J	L6538	<b>2</b> ½	Inside	No◆	XDJ	HP10438J

PL	EASE NOTE: Kits are designed to fit stock vehicles. For modified vehicles we recommend				g the fitment in (	our application guides.	Rated up to 5000lbs unless otherwise stated.			
<b>a</b>	REPLACEMENT AIR SPRING PART #	8	AIR SPRING STYLE		SUGGESTED II	NSTALL TIME (HOURS)	7	VEHICLE MODIFICATION REQUIRED		
K	IN-COIL	55	STANDARD DUTY SLEEVE STYLE	DC	НЕДУУ ВИТУ	DOUBLE CONVOLUTED	DCJ	HD DOUBLE CONVOLUTED W/ JOUNCE		
5C	HEAVY DUTY SINGLE CONVOLUTED	SCJ	HD SINGLE CONVOLUTED W/ JOUNCE	XD	XTREME DUT	DOUBLE CONVOLUTED	XDJ	XD DOUBLE CONVOLUTED W/ JOUNCE		
•	◆ DRILLING MAY BE REQUIRED ON TRUCKS WITH AN AFTERMARKET 5™ WHEEL HITCH			+	+ HP10019 KITS FIT WITH A REESE 5th WHEEL RAIL KIT (MODELS 30033, 30035 & 30729)					
*	HP10033 KITS REQUIRE 6" BETWEEN THE TIRE AND FRAME				HP10070 KITS FIT	WITH A DRAW TITE 15000 5TH \	NHEEL H	ITCH		
**	WILL NOT FIT MODELS WITH RIDE HEIGHT SENSORS			‡	‡ HP10002 KITS FIT WITH 3349 & 3319 SUPERGLIDE 5™ WHEEL RAIL KITS ON 4WD VEHICLES					
<b>&gt;&gt;</b>	FOR ALL TRUCKS, INCLUDING THOSE WITH 5TH V	VHEEL H	ITCHES. NOT FOR CHASSIS CAB TRUCKS	#	# HP10089 KITS WILL NOT FIT WITH 3349 & 3319 SUPERGLIDE 5TH WHEEL RAIL KITS ON 2WD VEHICLES					
<	FOR 'C' CHANNEL FRAMES	=	FOR HYDRO FORMED FRAMES	•	SEE MANUAL OR	CALL 800.663.0096 FOR SPECIF	IC SUB-I	MODEL APPLICATIONS		



USA







YEAR

MAKE/MODEL

**K**(T #

INSTALL MANUAL







## **FORD**

rora r-3								
1970-1997	F-350 (2WD)	HP10019 +	L5685	3	Outside	Yes	DC	HP10000
		HP10019-J +	L5685	3	Outside	Yes	DCJ	HP10000J
1980-1997	F-350 (4WD) EXCEPT SUPER HD CHASSIS	HP10019 +	L5685	3	Outside	Yes	DC	HP10000
		HP10019-J +	L5685	3	Outside	Yes	DCJ	HP10000J
1999-2004	F-350 SUPER DUTY (2WD) 11,200 GVWR & UNDER	HP10019 +	L5685	3	Outside	Yes	DC	HP10000
		HP10019-J +	L5685	3	Outside	Yes	DCJ	HP10000J
1999-2010	F-350 SUPER DUTY (2WD/4WD)	HP10070 ††	L5754	3	Outside	Yes	DC	HP10000
		HP10070-J ††	L5754	3	Outside	Yes	DCJ	HP10000J
2005-2010	F-350 SUPER DUTY (2WD)	HP10182 »	L6220	4	Inside	No◆	DC	HP10000
		HP10182-J <sup>»</sup>	L6220	4	Inside	No◆	DCJ	HP10000J
2005-2010	F-350 SUPER DUTY (4WD)	HP10181 »	L6220	4	Inside	No◆	DC	HP10000
		HP10181-J <sup>»</sup>	L6220	4	Inside	No◆	DCJ	HP10000J
2010-2016	F-350 SUPER DUTY (2WD/4WD)	HP10070 ††	L5754	3	Outside	Yes	DC	HP10000
	Will not fit vehicles with factory installed 5th wheel hitch	HP10070-J ††	L5754	3	Outside	Yes	DCJ	HP10000J
2011-2016	F-350 SUPER DUTY (2WD)	HP10194 »	L6219	4	Inside	No◆	DC	HP10000
		HP10194-J »	L6219	4	Inside	No◆	DCJ	HP10000J
2011-2016	F-350 SUPER DUTY (2WD/4WD)	HP10387 »	L6450	2	Inside	No◆	DC	HP10000
		HP10387-J »	L6450	2	Inside	No◆	DCJ	HP10000J
2011-2016	F-350 SUPER DUTY (2WD/4WD)	HP10387-X <sup>»</sup>	L6526	2	Inside	No◆	XD	HP10438
	RATED UP TO 7500LBS	HP10387-X-J »	L6526	2	Inside	No◆	XDJ	HP10438J
2017-2022	F-350 SUPER DUTY (2WD/4WD*) SRW & DRW	HP10401	L6537	<b>2</b> ½	Inside	No◆	DC	HP10000
	Will not fit cab & chassis models. <b>▼4WD Vehicles</b> equipped with a rear sway bar or camper package need the HP10540 retrofit kit	HP10401-J	L6537	<b>2</b> ½	Inside	No◆	DCJ	HP10000J
2017-2022	F-350 SUPER DUTY (2WD/4WD*) SRW & DRW	HP10401-X	L6538	21/2	Inside	No◆	XD	HP10438
	Will not fit cab & chassis models. ▼4WD Vehicles equipped with a rear sway bar or camper package need the HP10540 retrofit kit RATED UP TO 7500 LBS	HP10401-X-J	L6538	<b>2</b> ½	Inside	No◆	XDJ	HP10438J
2023-2024	F-350 SUPER DUTY (2WD/4WD <sup>▼</sup> ) SRW & DRW DIESEL ENGINES ONLY	HP10401	L6537	<b>2</b> ½	Inside	No◆	DC	HP10000
	Will not fit cab & chassis models. ▼4WD Vehicles equipped with a rear sway bar or camper package need the HP10540 retrofit kit	HP10401-J	L6537	21/2	Inside	No◆	DCJ	HP10000J
2023-2024	F-350 SUPER DUTY (2WD/4WD <sup>▼</sup> ) SRW & DRW DIESEL ENGINES ONLY	HP10401-X	L6538	21/2	Inside	No◆	XD	HP10438
	Will not fit cab & chassis models. <b>*4WD Vehicles</b> equipped with a rear sway bar or camper package need the HP10540 retrofit kit RATED UP TO 7500 <sub>LBS</sub>	HP10401-X-J	L6538	21/2	Inside	No◆	XDJ	HP10438J

PLI	EASE NOTE: Kits are designed to fit stock	Rated up to 5000lbs unless otherwise state						
	REPLACEMENT AIR SPRING PART #	8	air spring style		SUGGESTED IN	STALL TIME (HOURS)	7	VEHICLE MODIFICATION REQUIRED
K	IN-COIL	55	STANDARD DUTY SLEEVE STYLE	DC	HEAVY DUTY D	OUBLE CONVOLUTED	DCJ	HD DOUBLE CONVOLUTED W/ JOUNCE
5C	HEAVY DUTY SINGLE CONVOLUTED	SCJ	HD SINGLE CONVOLUTED W/ JOUNCE	XD	XTREME DUTY	DOUBLE CONVOLUTED	XDJ	XD DOUBLE CONVOLUTED W/ JOUNCE
•	DRILLING MAY BE REQUIRED ON TRUCKS WITH	AN AFTE	RMARKET 5™ WHEEL HITCH	+	HP10019 KITS FIT W	VITH A REESE 5th WHEEL RAI	L KIT (M	ODELS 30033, 30035 & 30729)
*	HP10033 KITS REQUIRE 6" BETWEEN THE TIRE A	AND FRAN	1E	tt	HP10070 KITS FIT W	VITH A DRAW TITE 15000 5™ V	NHEEL H	IITCH
**	WILL NOT FIT MODELS WITH RIDE HEIGHT SEN	ISORS		‡	HP10002 KITS FIT W	VITH 3349 & 3319 SUPERGLID	E 5™ WH	EEL RAIL KITS ON 4WD VEHICLES
>>	FOR ALL TRUCKS, INCLUDING THOSE WITH 5™ \	WHEEL H	TCHES. NOT FOR CHASSIS CAB TRUCKS	#	HP10089 KITS WILL	NOT FIT WITH 3349 & 3319 S	UPERGL	IDE 5™ WHEEL RAIL KITS ON 2WD VEHICLES
<	FOR 'C' CHANNEL FRAMES	=	FOR HYDRO FORMED FRAMES	<b>*</b>	SEE MANUAL OR C	CALL 800.663.0096 FOR SPECIF	IC SUB-	MODEL APPLICATIONS



USA







YEAR

MAKE/MODEL

**K**(T #











# **FORD**

rd	n

roru r-43								
2008-2010	F-450 SUPER DUTY (2WD/4WD)	HP10187 »	L6225	4	Inside	No	DC	HP10000
		HP10187-J »	L6225	4	Inside	No	DCJ	HP10000J
2011-2014	F-450 SUPER DUTY (2WD)	HP10194 »	L6219	4	Inside	No◆	DC	HP10000
		HP10194-J »	L6219	4	Inside	No◆	DCJ	HP10000J
2011-2014	F-450 SUPER DUTY (2WD/4WD)	HP10387 »	L6450	2	Inside	No◆	DC	HP10000
		HP10387-J »	L6450	2	Inside	No◆	DCJ	HP10000J
2011-2014	F-450 SUPER DUTY (2WD/4WD) RATED UP TO 7500LBS	HP10387-X »	L6526	2	Inside	No	XD	HP10438
		HP10387-X-J »	L6526	2	Inside	No	XDJ	HP10438J
2015-2016	F-450 SUPER DUTY (2WD/4WD)	HP10195 »	L6225	3	Inside	No	DC	HP10000
		HP10195-J »	L6225	3	Inside	No	DCJ	HP10000J
2017-2022	F-450 SUPER DUTY (2WD/4WD <sup>▼</sup> ) srw & drw	HP10401	L6537	<b>2</b> ½	Inside	No◆	DC	HP10000
	Will not fit cab & chassis models. <b>▼4WD Vehicles</b> equipped with a rear sway bar or camper package need the HP10540 retrofit kit	HP10401-J	L6537	21/2	Inside	No◆	DCJ	HP10000J
2017-2022	F-450 SUPER DUTY (2WD/4WD <sup>▼</sup> ) srw & drw	HP10401-X	L6538	<b>2</b> ½	Inside	No◆	XD	HP10438
	Will not fit cab & chassis models. ▼4WD Vehicles equipped with a rear sway bar or camper package need the HP10540 retrofit kit RATED UP TO 7500LBS	HP10401-X-J	L6538	<b>2</b> ½	Inside	No◆	XDJ	HP10438J
2023-2024	F-450 SUPER DUTY (2WD/4WD <sup>▼</sup> ) SRW & DRW DIESEL ENGINES ONLY	HP10401	L6537	<b>2</b> ½	Inside	No◆	DC	HP10000
	Will not fit cab & chassis models. ▼4WD Vehicles equipped with a rear sway bar or camper package need the HP10540 retrofit kit	HP10401-J	L6537	<b>2</b> ½	Inside	No◆	DCJ	HP10000J
2023-2024	F-450 SUPER DUTY (2WD/4WD) SRW & DRW DIESEL ENGINES ONLY	HP10401-X	L6538	<b>2</b> ½	Inside	No◆	XD	HP10438
	Will not fit cab & chassis models. * 4WD Vehicles equipped with a rear sway bar or camper package need the HP10540 retrofit kit RATED UP TO 7500LBS	HP10401-X-J	L6538	<b>2</b> ½	Inside	No◆	XDJ	HP10438J
Ford Van	s / Commercial Vehicles							

roru van	5 / Cultillercial Vellicles							
2015-2024	TRANSIT 150 / 250 (2WD/4WD) SRW VEHICLES	HP10307	L6444	21/2	Inside	No	DC	HP10000
	Will not fit E-Transit models	HP10307-J	L6444	<b>2</b> ½	Inside	No	DCJ	HP10000J
2015-2024	TRANSIT 350 (2WD/4WD) SRW VEHICLES	HP10307	L6444	21/2	Inside	No	DC	HP10000
	Will not fit 350HD or DRW vehicles, or E-Transit models.	HP10307-J	L6444	21/2	Inside	No	DCJ	HP10000J
2013-2024	TRANSIT 350HD DRW (2WD/4WD)	HP10398	L6541	<b>2</b> ½	Inside	No	DC	HP10000
	CAB & CHASSIS / CLASS C MOTORHOME	HP10398-J	L6541	21/2	Inside	No	DCJ	HP10000J
2008-2024	E-450 (2WD/4WD) cab & chassis / class c motorhome	HP10370	L6503	1 1/2	Inside	No	DC	HP10000
		HP10370-J	L6503	1 1/2	Inside	No	DCJ	HP10000J
2012-2024	F-450 / F-550 / F-600 (2WD/4WD) cab & chassis	HP10324	L6459	3	Outside	Yes	DC	HP10068
2012-2024	F-450 / F-550 / F-600 (2WD/4WD) CAB & CHASSIS RATED UP TO 7500LBS	HP10324-X-J	L6459	3	Outside	Yes	XDJ	HP10438J
2009-2024	F-53 STRIPPED CAB & CHASSIS / CLASS A MOTORHOME Will not fit models with 10886kg (24000lbs) or 11793kg (26000lbs) GVRW	HP10475	L6559	3	Outside	Yes	DC	HP10068
2009-2024	F-53 STRIPPED CAB & CHASSIS / CLASS A MOTORHOME RATED UP TO 7500LBS Will not fit models with 10886kg (24000lbs) or 11793kg (26000lbs) GVRW	HP10475-X-J	L6559	3	Outside	Yes	XDJ	HP10438J

PL	<b>EASE NOTE</b> : Kits are designed to fit stock	vehicle	s. For modified vehicles we recommend o	heckin	cking the fitment in our application guides. Rated up to 5000lbs unless otherwise stated.
	REPLACEMENT AIR SPRING PART #	8	AIR SPRING STYLE		SUGGESTED INSTALL TIME (HOURS)
K	IN-COIL	55	STANDARD DUTY SLEEVE STYLE	DC	HEAVY DUTY DOUBLE CONVOLUTED DCJ HD DOUBLE CONVOLUTED W/ JOUNCE
SC	HEAVY DUTY SINGLE CONVOLUTED	SCJ	HD SINGLE CONVOLUTED W/ JOUNCE	XD	XTREME DUTY DOUBLE CONVOLUTED XDJ XD DOUBLE CONVOLUTED W/ JOUNCE
•	DRILLING MAY BE REQUIRED ON TRUCKS WITH	AN AFT	ERMARKET 5™ WHEEL HITCH	+	+ HP10019 KITS FIT WITH A REESE 5th WHEEL RAIL KIT (MODELS 30033, 30035 & 30729)
*	HP10033 KITS REQUIRE 6" BETWEEN THE TIRE A	ND FRA	ME	tt	†† HP10070 KITS FIT WITH A DRAW TITE 15000 5™ WHEEL HITCH
**	WILL NOT FIT MODELS WITH RIDE HEIGHT SEN	SORS		<b>‡</b>	‡ HP10002 KITS FIT WITH 3349 & 3319 SUPERGLIDE 5™ WHEEL RAIL KITS ON 4WD VEHICLES
»	FOR ALL TRUCKS, INCLUDING THOSE WITH 5™ V	VHEEL H	ITCHES. NOT FOR CHASSIS CAB TRUCKS	#	# HP10089 KITS WILL NOT FIT WITH 3349 & 3319 SUPERGLIDE 5™ WHEEL RAIL KITS ON 2WD VEHICLES
<	FOR 'C' CHANNEL FRAMES	=	FOR HYDRO FORMED FRAMES	<b>*</b>	♦ SEE MANUAL OR CALL 800.663.0096 FOR SPECIFIC SUB-MODEL APPLICATIONS



1670 Grant Ave, Blaine, WA 98230 - 800.663.0096 / pacbrake.com





	1 1						IPDATED:	April 3, 2024
YEAR	MAKE/MODEL	<b>К</b> (Т #	INSTALL MANUAL	(V)	FRAME MOUNT		8	
FREIG	HTLINER							
2007-2014	SPRINTER 2500 (2WD)	HP10147	L6037	3	Inside	Yes	DC	HP10000
		HP10147-J	L6037	3	Inside	Yes	DCJ	HP10000J
2007-2024	SPRINTER 2500 (2WD/4WD) srwvehicles	HP10395 **	L6536	2	Inside	No	DC	HP10000
	Will not fit E-Sprinter models	HP10395-J **	L6536	2	Inside	No	DCJ	HP10000J
2007-2024	SPRINTER 2500 (2WD/4WD) SRW VEHICLES	HP10395-X **	L6536	2	Inside	No	XD	HP10438
	Will not fit E-Sprinter models RATED UP TO 7500LBS	HP10395-X-J **	L6536	2	Inside	No	XDJ	HP10438J
2007-2024	SPRINTER 3500 (2WD/4WD) SRW VEHICLES	HP10395 **	L6536	2	Inside	No	DC	HP10000
	Will not fit E-Sprinter models	HP10395-J **	L6536	2	Inside	No	DCJ	HP10000J
2007-2024	SPRINTER 3500 (2WD/4WD) SRW VEHICLES	HP10395-X **	L6536	2	Inside	No	XD	HP10438
	Will not fit E-Sprinter models RATED UP TO 7500LBS	HP10395-X-J **	L6536	2	Inside	No	XDJ	HP10438J
2007-2024	SPRINTER 3500XD (2WD/4WD) DRW VEHICLES	HP10391 **	L6527	2	Inside	No	DC	HP10000
	Will not fit E-Sprinter models	HP10391-J **	L6527	2	Inside	No	DCJ	HP10000J
2007-2024	SPRINTER 3500XD (2WD/4WD) DRW VEHICLES	HP10391-X **	L6527	2	Inside	No	XD	HP10438
	Will not fit E-Sprinter models RATED UP TO 7500LBS	HP10391-X-J **	L6527	2	Inside	No	XDJ	HP10438J
2007-2024	SPRINTER 4500 (2WD/4WD) DRW VEHICLES	HP10391 **	L6527	2	Inside	No	DC	HP10000
	Will not fit-Sprinter models	HP10391-J **	L6527	2	Inside	No	DCJ	HP10000J
2007-2024	SPRINTER 4500 (2WD/4WD) DRW VEHICLES	HP10391-X **	L6527	2	Inside	No	XD	HP10438
	Will not fit E-Sprinter models RATED UP TO 7500LBS	HP10391-X-J **	L6527	2	Inside	No	XDJ	HP10438J
1998-2010	MAZDA PICK-UPS (2WD/4WD) Will only fit with stock wheels and tires	HP10019 +	L5685	3	Outside	Yes	DC	HP10000
	with some with stock wheels and thes	HP10019-J +	L5685	3	Outside	Yes	DCJ	HP10000J
MERC	EDES							
2010-2014	SPRINTER 2500 (2WD)	HP10147	L6037	3	Inside	Yes	DC	HP10000
		HP10147-J	L6037	3	Inside	Yes	DCJ	HP10000J
2007-2024	SPRINTER 2500 (2WD/4WD) SRW VEHICLES	HP10395 **	L6536	2	Inside	No	DC	HP10000
	Will not fit E-Sprinter models	HP10395-J **	L6536	2	Inside	No	DCJ	HP10000J
2007-2024	SPRINTER 2500 (2WD/4WD) SRW VEHICLES	HP10395-X **	L6536	2	Inside	No	XD	HP10438
	Will not fit E-Sprinter models RATED UP TO 7500LBS	HP10395-X-J **	L6536	2	Inside	No	XDJ	HP10438J
2007-2024	SPRINTER 3500 (2WD/4WD) SRW VEHICLES	HP10395 **	L6536	2	Inside	No	DC	HP10000
	Will not fit E-Sprinter models	HP10395-J **	L6536	2	Inside	No	DCJ	HP10000J
2007-2024	SPRINTER 3500 (2WD/4WD) SRW VEHICLES	HP10395-X **	L6536	2	Inside	No	XD	HP10438
	Will not fit E-Sprinter models RATED UP TO 7500LBS	HP10395-X-J **	L6536	2	Inside	No	XDJ	HP10438J
2007-2024	SPRINTER 3500XD (2WD/4WD) DRW VEHICLES	HP10391 **	L6527	2	Inside	No	DC	HP10000
	Will not fit E-Sprinter models	HP10391-J **	L6527	2	Inside	No	DCJ	HP10000J
2007-2024	SPRINTER 3500XD (2WD/4WD) DRW VEHICLES	HP10391-X **	L6527	2	Inside	No	XD	HP10438
	Will not fit E-Sprinter models RATED UP TO 7500LBS	HP10391-X-J **	L6527	2	Inside	No	XDJ	HP10438J
2007-2024	SPRINTER 4500 (2WD/4WD) DRW VEHICLES	HP10391 **	L6527	2	Inside	No	DC	HP10000
	Will not fit E-Sprinter models	HP10391-J **	L6527	2	Inside	No	DCJ	HP10000J
2007-2024	SPRINTER 4500 (2WD/4WD) DRW VEHICLES	HP10391-X **	L6527	2	Inside	No	XD	HP10438
	Will not fit E-Sprinter models RATED UP TO 7500LBS	HP10391-X-J **	L6527	2	Inside	No	XDJ	HP10438J







						U	PDATED:	April 3, 2024
YEAR	MAKE/MODEL	<b>К</b> (Т #	INSTALL MANUAL	(V)	FRAME MOUNT		8	
NISS	an							
2004-2015	TITAN (2WD/4WD)	HP10222	L6376	2	Inside	Yes	DC	HP10000
	Will not fit PRO-4X models	HP10222-J	L6376	2	Inside	Yes	DCJ	HP10000J
2016-2019	TITAN XD (2WD/4WD) XD MODELS ONLY	HP10338	L6477	2	Inside	No	DC	HP10000
		HP10338-J	L6477	2	Inside	No	DCJ	HP10000J
STER								
2007-2009	BULLET 4500 (2WD/4WD) CAB & CHASSIS	HP10121	L5934	3	Inside	No	DC	HP10068
		HP10121-X-J	L5934	3	Inside	No	XDJ	HP10438J
2007-2009	BULLET 5500 (2WD/4WD) cab & chassis	HP10121	L5934	3	Inside	No	DC	HP10068
		HP10121-X-J	L5934	3	Inside	No	XDJ	HP10438J
TOYO	TA							
Toyota T	acoma ALL TOYOTA KITS REQUIRE A MINIMUM OF 5" BETWEEN THE TIRE AND FR	RAME AND WILL ONLY FIT WI	TH STOCK WHE	LS AND TIR	ES 1995-2004. 1	THIS DOES N	OT APPLY T	0 10311.
1995-2004	TOYOTA TACOMA (4WD)	HP10191	L6270	3	Outside	Yes	SS	HP10173
2005-2023	TOYOTA TACOMA (4WD)	HP10311	L6449	<b>2</b> ½	Inside	No	SC	HP10083
		HP10311-J	L6449	<b>2</b> ½	Inside	No	SCJ	HP10083J
2005-2023	TOYOTA TACOMA PRERUNNER (2WD)	HP10311	L6449	<b>2</b> ½	Inside	No	SC	HP10083
				<b>2</b> ½	Inside	No	SCJ	

2001-2006	India ALL TOYOTA KITS REQUIRE A MINIMUM OF 5" BETWEEN THE TIRE AND F	HP10126	L6010	2 1/2	Outside	No	SC	HP10083
2001-2000	TOTOTA TONDINA (2000/4000)	10120						
		HP10126-J	L6010	<b>2</b> ½	Outside	No	SCJ	HP10083
2001-2006	TOYOTA TUNDRA (2WD/4WD)	HP10158	L6010	21/2	Outside	No	SC	HP10083
	Trucks in which the upper jounce bumper pad protrudes 1" below the frame	HP10158-J	L6010	21/2	Outside	No	SCJ	HP10083
2007-2021	TOYOTA TUNDRA (2WD/4WD)	HP10128	L6010	21/2	Outside	No	SC	HP10083
		HP10128-J	L6010	<b>2</b> ½	Outside	No	SCJ	HP10083
2022-2024	TOYOTA TUNDRA (2WD/4WD)	HP10604	L6611	<b>2</b> ½	Inside	No	DC	HP10000
		HP10604-J	L6611	21/2	Inside	No	DCJ	HP10000

PL	PLEASE NOTE: Kits are designed to fit stock vehicles. For modified vehicles we recommend checking the fitment in our application guides. Rated up to 5000lbs unless otherwise stated.										
<b>a</b>	REPLACEMENT AIR SPRING PART #	8	AIR SPRING STYLE		SUGGESTED INSTALL TIME (HOURS)	7	VEHICLE MODIFICATION REQUIRED				
K	IN-COIL	55	STANDARD DUTY SLEEVE STYLE	DC	HEAVY DUTY DOUBLE CONVOLUTED	DCJ	HD DOUBLE CONVOLUTED W/ JOUNCE				
5C	HEAVY DUTY SINGLE CONVOLUTED	SCJ	HD SINGLE CONVOLUTED W/ JOUNCE	XD	XTREME DUTY DOUBLE CONVOLUTED	XDJ	XD DOUBLE CONVOLUTED W/ JOUNCE				
•	DRILLING MAY BE REQUIRED ON TRUCKS WITH	I AN AFT	ERMARKET 5™ WHEEL HITCH	+	HP10019 KITS FIT WITH A REESE 5th WHEEL RA	IL KIT (N	/IODELS 30033, 30035 & 30729)				
*	HP10033 KITS REQUIRE 6" BETWEEN THE TIRE A	ND FRA	ME	tt	HP10070 KITS FIT WITH A DRAW TITE 15000 5™	WHEEL	HITCH				
**	WILL NOT FIT MODELS WITH RIDE HEIGHT SEN	SORS		‡	HP10002 KITS FIT WITH 3349 & 3319 SUPERGLII	DE 5™ WI	HEEL RAIL KITS ON 4WD VEHICLES				
<b>&gt;&gt;</b>	FOR ALL TRUCKS, INCLUDING THOSE WITH 5TH \	WHEEL H	IITCHES. NOT FOR CHASSIS CAB TRUCKS	#	HP10089 KITS WILL NOT FIT WITH 3349 & 3319	SUPERG	LIDE 5™ WHEEL RAIL KITS ON 2WD VEHICLES				
<	FOR 'C' CHANNEL FRAMES	=	FOR HYDRO FORMED FRAMES	•	SEE MANUAL OR CALL 800.663.0096 FOR SPECI	FIC SUB-	-MODEL APPLICATIONS				







YEAR

MAKE/MODEL













# **AIR SUSPENSION ACCESSORIES**

#### **Additional Required Add-Ons**

Axel Breather Relocation Kit  Must be purchased with HP10002 kits for 2007-2018 RAM 3500 (2WD/4WD) CAB & CHASSIS vehicles that have a round axle tube with the breather located approximately 7" from the driver side leaf spring pack.	HP10136	L5958	_	_	_	DC/DCJ XD/XDJ	_
Axel Breather Relocation Kit  Must be purchased with HP10002 kits for 2019 + RAM 3500 (2WD/4WD) CAB & CHASSIS vehicles that have a round axle tube with the breather located approximately 7" from the driver side leaf spring pack.	HP10349	L6490	_	_	_	XD/XDJ	_
HP10401 / HP10401-X RetroFit  Must be purchased with HP10401 / HP10401-X kits for 2017-2024 F-450 SUPER DUTY 4WD vehicles equipped with a rear sway bar or camper package.	HP10540	L6537 / L6538	—	_	_	DC/DCJ XD/XDJ	_
(Passenger Side) Rear Height Sensor Relocation Brackets  Must be purchased with HP10402 kits for 2021-2024 FORD F-150 4WD vehicles equipped with CCD (continuously controlled dampening). HP10402 kits include driver side brackets.	HP10402-RH	L6594	_	_	_	DC/DCJ XD/XDJ	_
Spacers							
2" Spacers UNIVERSAL FIT with single & double convoluted air springs only	HP10152	L6100	_	_	_	SC/SCJ DC/DCJ	_
4" Spacers UNIVERSAL FIT with single & double convoluted air springs only	HP10154	L6100	_	_	_	SC/SCJ DC/DCJ	_
6" Spacers UNIVERSAL FIT with single & double convoluted air springs only	HP10156	L6100	_	_	—	SC/SCJ DC/DCJ	_

#### REPLACEMENT PARTS

#### **Replacement Air Springs**

neplacement All Opinigs							
REPLACEMENT In-Coil Air Spring	HP10189	—	—	—	—	IC	_
REPLACEMENT In-Coil Air Spring	HP10560			_		IC	_
REPLACEMENT Sleeve Style Air Spring	HP10001			_		SS	_
REPLACEMENT Sleeve Style Air Spring	HP10173		_	_	_	SS	_
REPLACEMENT Sleeve Style Air Spring	HP10199		_	_	_	SS	_
REPLACEMENT Heavy Duty Single Convoluted Air Spring	HP10083			_		SC	_
REPLACEMENT Heavy Duty Single Convoluted Air Spring	HP10083J		_	_	_	SCJ	_
REPLACEMENT Heavy Duty Double Convoluted Air Spring	HP10000		_	_		DC	_
REPLACEMENT Heavy Duty Double Convoluted Air Spring	HP10000J			_		DCJ	_
REPLACEMENT Heavy Duty Large Double Convoluted Air Spring	HP10068			_		DC	_
REPLACEMENT Xtreme Duty Large Double Convoluted Air Spring	HP10438		_	_	_	XD	_
REPLACEMENT Xtreme Duty Large Double Convoluted Air Spring	HP10438J	_	_	_	_	XDJ	_
Replacement Parts							

HP1344

PLEASE NOTE: Kits are designed to fit stock vehicles. For modified vehicles we recommend checking the fitment in our application guides.				cking the fitment in our application guides. Rated up to 5000lbs unless otherwise stated.
<b>3</b>	REPLACEMENT AIR SPRING PART #	AIR SPRING STYLE		SUGGESTED INSTALL TIME (HOURS)
K	IN-COIL 55	STANDARD DUTY SLEEVE STYLE	DC	HEAVY DUTY DOUBLE CONVOLUTED DCJ HD DOUBLE CONVOLUTED W/ JOUNCE
5C	HEAVY DUTY SINGLE CONVOLUTED SC	HD SINGLE CONVOLUTED W/ JOUNCE	XD	TO XTREME DUTY DOUBLE CONVOLUTED XDJ XD DOUBLE CONVOLUTED W/ JOUNCE
•	DRILLING MAY BE REQUIRED ON TRUCKS WITH AN AFTERMARKET 5™ WHEEL HITCH		+	+ HP10019 KITS FIT WITH A REESE 5th WHEEL RAIL KIT (MODELS 30033, 30035 & 30729)
*	HP10033 KITS REQUIRE 6" BETWEEN THE TIRE AND FRAME		tt	†† HP10070 KITS FIT WITH A DRAW TITE 15000 5™ WHEEL HITCH
**	WILL NOT FIT MODELS WITH RIDE HEIGHT SENSORS		<b>‡</b>	‡ HP10002 KITS FIT WITH 3349 & 3319 SUPERGLIDE 5™ WHEEL RAIL KITS ON 4WD VEHICLES
<b>&gt;&gt;</b>	FOR ALL TRUCKS, INCLUDING THOSE WITH 5™ WHEEL HITCHES. NOT FOR CHASSIS CAB TRUCKS		#	# HP10089 KITS WILL NOT FIT WITH 3349 & 3319 SUPERGLIDE 5™ WHEEL RAIL KITS ON 2WD VEHICLES
<	FOR 'C' CHANNEL FRAMES = FOR HYDRO FORMED FRAMES		•	♦ SEE MANUAL OR CALL 800.663.0096 FOR SPECIFIC SUB-MODEL APPLICATIONS



