



AFTERMARKET BY  
**PACBRAKE®**

800.663.0096 [pacbrake.com](http://pacbrake.com)   





## JOIN THE PAC. LET'S HUNT TOGETHER.

You're the Alpha. Your pack depends on you to hunt down the highest quality, lowest-priced parts for your truck. But dealer kickbacks and never ending rebates on obviously inflated prices make the hunt difficult.

That's why Alphas depend on the Pac.

**Uncompromising value.** We take the parts your truck needs and are uncompromising in our pursuit to make them better and more affordable.

**Total confidence.** Experienced aftermarket, engineer reviews and brutal parts testing means you'll have total confidence in your truck, and your pack will have total confidence in you.

The Pac's got your back.

## HOWL YEAH!





# PACK LEADERS

## OUR BEST SELLING PRODUCTS

### AIR MANAGEMENT

#### #1 WIRELESS CONTROL + ONBOARD AIR KIT COMBO



HP10325 + HP10163 (½ GAL) OR HP10164 (2½ GAL)

Our most popular air management 'Command & Control' combo. Operate your air compressor, from inside or outside your vehicle, straight from your phone (iOS or Android).

Each onboard air system comes complete with a steel air tank, pressure switch, relay(s), HP325 series compressor, fittings, electrical connectors, curly hose and accessories kit.

### AIR MANAGEMENT

#### #2 FORD AIR SPRING KITS

HP10304 OR HP10324

The only air springs on the market with one piece aluminum end caps and 20 support wires - giving you maximum strength and durability - for the world's #1 selling truck brand!

2017-2020 Ford F-250/F-350/F-450 Super Duty (4WD) + 2012-2020 Ford F-450 / F-550 / F-600 Super Duty (2WD/4WD)



### PERFORMANCE + AIR

#### #3 PREMIUM TRIPLE TRAIN HORN KIT + AIR BAGS

HP10314 + AIR BAGS

Get loud! And get level! Every Pacbrake Premium Air Horn Kit comes with a horn and an onboard air kit, perfect for pairing with a Pacbrake Air Bag for a complete air management system.

AIR BAG APPLICATION GUIDE: [pacbrake.com/airguide](http://pacbrake.com/airguide)



### BRAKING

#### #4 PRXB EXHAUST BRAKE KIT (4" DIRECT MOUNT)



C44045

Pacbrake's flagship PRXB product is the unquestioned leader in the supplemental brake industry, offering the highest braking power to lowest price ratio available. NOTE: All 2004 - 2007 kits will NOT work with Banks Turbo Back Monster Exhaust. However, they will work with Banks Cat Back Monster Exhaust. Air Actuated - comes with air tank, curly hose and accessories kit.

2004½ - 2007 Dodge RAM Cummins 5.9L 24 Valve Engine w/ Standard Transmission and  
2006 - 2007 Dodge RAM Cummins 5.9L 24 Valve Engine with 48RE Automatic Transmission.

### PERFORMANCE

#### #5 LEVELING KIT

HP10252

Increases both the ground and wheel well clearance to allow for installation of larger tires. Designed with safety and ease of installation in mind, these kits require no strut preloading, cutting, or modification of factory installed parts.

2004-2020 Ford F-150 2WD / 4WD



### AIR MANAGEMENT

#### #6 PACBRAKE HP325 SERIES ONBOARD AIR KIT

HP10163

Our most popular onboard air kit complete with a ½ gallon steel air tank, pressure switch, relay(s), HP325 series compressor, fittings, electrical connectors, curly hose and accessories kit.







# CONTENTS

## AIR MANAGEMENT .....9

- Air Suspension..... 9
- Wireless Air Spring Controls.....10
- In-Cab Controls .....12
- Onboard Air .....14
- Air Tanks.....16
- Spacers .....18

## BECOME A DEALER.....19

## PERFORMANCE PARTS .....20

- Horns .....22
- Leveling Kits .....24
- Max Flow Elbow.....25
- Oil Filter Relocation Kits .....26
- Spring Kits .....27

## PRXB EXHAUST BRAKE.....30

## WARRANTY .....32





# PROWL ON AIR

## AIR SUSPENSION TO LEVEL YOUR LOAD AND IMPROVE SAFETY

Pack leaders withstand pressure without sag or sway. Show your alpha qualities with Pacbrake's heavy duty air springs to level your truck's stance while providing added support for an overall smooth and safe ride.

Want the ultimate system to lead your pack? Add an air compressor, tank and in-cab or wireless controls.

## HEAVY DUTY DESIGN & BUILD


### SINGLE CONVOLUTED



### DOUBLE CONVOLUTED



### SLEEVE STYLE



ONE PIECE ALUMINUM  
ANODIZED END CAPS

TWO-PLY RUBBER

20 SUPPORT WIRES

CORROSION RESISTANT  
ROLL PLATES

POWDER COATED BRACKETS

**RATED UP TO 5,000 LBS\***

\*Applications vary.  
Kits containing HP10068 rated to 5320 lbs.  
Never exceed Manufacturer's Recommended  
Gross Vehicle Rating.

## COMPLETE YOUR RIDE

### AIR TANKS



### AIR COMPRESSORS



### AIR SPRING CONTROLS





# FREEDOM & CONTROL

## WIRELESS CONTROL OF YOUR AIR SPRINGS

As the alpha wolf's howl controls his pack, your Pacbrake Wireless Air Spring Controls give you perfect command over your vehicle's air suspension system, right from your phone.



Cold or wet outside? Adjust your air springs from inside the comfort of your cab.



Welcome rain and mud! Our controller is IP67 rated.



Accommodate different loads and road conditions on the fly.




Effortless installation with our pre-assembled plug and play harnesses.



Tackle extreme environments with military-grade pneumatic solenoids.



Universal fit – Fits the frame of any vehicle and works with any air spring or onboard air system.



HP10327

Tankless Onboard Air Kit



Apple, the Apple logo and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries and regions.






# IN-CAB CONTROLS

## SURPRISE YOUR PREY WITH STEALTH


Operate your air springs (or other pneumatic accessories) without ever leaving the driver's seat with Pacbrake In-Cab Controls. To select your kit, just choose (1) Control Type, (2) Display Type, (3) Spring Activation and for Premium Kits, add (4) a Compressor.

## ACTIVATION OPTIONS

### INDEPENDENT



### SIMULTANEOUS



## ELECTRICAL IN-CAB CONTROL

Featuring a digital gauge or back-lit (dual or single) needle gauge, an ON/OFF compressor switch(es), inflation/deflation switch(es) for the air springs. Choose between simultaneous or independent air spring inflation.



## PADDLE VALVE IN-CAB CONTROLS

An economical option for operating air springs with inflation/deflation switch(es) that attach directly to the HP325 series compressor and the air springs. Choose between simultaneous or independent air spring inflation. Available with a digital gauge or a back-lit needle gauge.

## CHOOSE YOUR KIT

	1. CONTROL		+ 2. DISPLAY		+ 3. SPRING ACTIVATION		+ 4. COMPRESSOR
	Paddle	Electric	Needle	Digital	Simultaneous	Independent	325
PREMIUM KITS							
HP10135	●		●		●		●
HP10098	●		●			●	●
HP10231	●			●	●		●
HP10256	●			●		●	●
HP10274		●		●	●		●
HP10273		●		●		●	●
BASIC KITS							
HP10022		●	●		●		
HP10062		●	●			●	
HP10133	●		●		●		
HP10124	●		●			●	
HP10262		●		●	●		
HP10261		●		●		●	
HP10281	●			●	●		
HP10272	●			●		●	





## AIR COMPRESSORS

### HP325 SERIES\*

Our ¼ HP air compressors have a 33% duty cycle (20 minutes @ 100 psi) and are offered in both 12 & 24 VDC.

### HP425 SERIES

Our ¾ HP air compressors have a 50% duty cycle (30 minutes on / 30 minutes off) and are offered in 12 VDC.

### HP625 SERIES

Our 1½ HP air compressors have a 100% duty cycle (1 Hour @ 100 psi) and are offered in two pump head configurations: vertical (available in 12 & 24 VDC) and horizontal (12 VDC).



## AIR TANKS

Leaders need options to make the best choice for the job at hand. That's why Pacbrake steel air tanks are available in three tank sizes - ½ gallon (C11940), 2½ gallon (HP10013) and 5 gallon (HP10014).

All of our steel air tanks are painted and have a rust inhibitor internally applied. Each tank has a maximum working pressure of 150 psi. Multiple NPT ports are provided for auto drains and various air accessories. All of our air tank kits have welded on mounting brackets.

Tanks are also available in polished aluminum, with a maximum working pressure of 200 psi.



### PERFECT FOR A MULTITUDE OF AIR APPLICATIONS!



## ONBOARD AIR KITS

A pack leader is never caught off guard. Always be prepared with Pacbrake Onboard Air Systems, perfect for howling through your air horns, inflating your air suspension, inflatable toys, flat tires or operating small air tools.

	HORSEPOWER	VDC	PUMP HEAD CONFIGURATION	TANK SIZE
HP10163	¼	12	Vertical	¼ gal
HP10164	¼	12	Vertical	2½ gal

## COMPRESSORS

All Pacbrake compressors have a max working pressure of 150 psi and are an oil-less design. They contain sealed bearings, a PTFE piston ring and a copper wire wound permanent magnet motor.

To select your kit, just choose your (1) Horsepower, (2) VDC Type, (3) Pump Head Configuration and (4) Kit Type: Basic or Premium. Premium kits come with pre-built wiring harnesses for the ultimate ease of installation.

## CHOOSE YOUR KIT

	1. HORSEPOWER		2. VDC		3. PUMP HEAD CONFIGURATION		4. KIT TYPE	
	¼	¾	12V	24V	Vertical	Horizontal	Basic	Premium
HP10066	●		●		●			●
HP10142	●		●		●		●	
HP10142-B	●		●		●		●	
HP10151	●			●	●		●	
HP10028		●	●			●		●
HP10029		●	●		●			●
HP10630		●		●	●			●
HP10631		●	●			●	●	
HP10632		●	●		●		●	
HP10633		●		●	●		●	

\* PLEASE NOTE: Not approved for use with tanks larger than 2.5 gallon.



# AIR TANKS

## AIR TANK: KITS AND ACCESSORIES

Pacbrake offers three air tank sizes to meet everyone's needs: a ½ gallon tank, a 2 ½ gallon tank and a 5 gallon tank\*. Each premium air tank kit comes complete with an air tank, mounting fasteners, airline, fittings, air accessories, an air nozzle and more.

### PREMIUM STEEL KITS

#### AIR TANK CURLY HOSE & ACCESSORY KIT



#### HP10053

**Tank Specifics (C11940):**  
**Ports:** 2 x ¼" (-4) NPT  
**Rust Inhibitor:** Applied to inside of tank  
**Max Working Pressure:** 150 psi  
**Size:** 6.4" x 5.5" x 6.5" (LxWxH) [163 mm x 140 mm x 152 mm]  
**Weight:** 3.4 lbs. [1.54 kg]  
*Welded on Mounting Brackets*

#### 5 GALLON AIR TANK KIT



#### HP10051\*

**Tank Specifics (HP10014):**  
**Ports:** 5 x ¼" (-4) NPT  
**Rust Inhibitor:** Applied to inside of tank  
**Max Working Pressure:** 150 psi  
**Size:** 24.0" x 9.9" x 11.0" (LxWxH) [610 mm x 251 mm x 279 mm]  
**Weight:** 17.8 lbs. [8.07 kg]  
*Welded on Mounting Brackets*

#### 2 1/2 GALLON AIR TANK KIT



#### HP10050

**Tank Specifics (HP10013):**  
**Ports:** 5 x ¼" (-4) NPT  
**Rust Inhibitor:** Applied to inside of tank  
**Max Working Pressure:** 150 psi  
**Size:** 21.0" x 6.9" x 8.9" (LxWxH) [533 mm x 175 mm x 203 mm]  
**Weight:** 9.8 lbs [4.45 kg]  
*Welded on Mounting Brackets*

### BASIC STEEL KITS

#### 2 1/2 GALLON AIR TANK KIT



#### HP10093

**Tank Specifics (HP10013):**  
**Ports:** 5 x ¼" (-4) NPT  
**Rust Inhibitor:** Applied to inside of tank  
**Max Working Pressure:** 150 psi  
**Size:** 21.0" x 6.9" x 8.9" (LxWxH) [533 mm x 175 mm x 203 mm]  
**Weight:** 9.8 lbs. [4.45 kg]  
*Welded on Mounting Brackets*

#### 5 GALLON AIR TANK KIT



#### HP10094\*

**Tank Specifics (HP10014):**  
**Ports:** 5 x ¼" (-4) NPT  
**Rust Inhibitor:** Applied to inside of tank  
**Max Working Pressure:** 150 psi  
**Size:** 24.0" x 9.9" x 11.0" (LxWxH) [610 mm x 251 mm x 279 mm]  
**Weight:** 17.8 lbs. [8.07 kg]  
*Welded on Mounting Brackets*

### ACCESSORY KITS

#### AIR TANK CURLY HOSE & ACCESSORY KIT



#### C11657

A 25' curly hose with an assortment of accessories is easily stored in a heavy duty nylon bag. Just attach the curly hose to the quick disconnect chuck off of the air compressor (external air source) and perform a variety of jobs including: inflating tires, air mattresses, footballs, beach toys and blowing air (for cleaning, dusting, quick removal of debris) as well as checking air pressure

#### ACCUMULATOR AIR TANK KIT




#### HP10302

This kit increases the volume of your air spring system and reduces the harsh ride associated with some air springs  
**Tank Specifics (C11940):**  
**Ports:** 2 x ¼" (-4) NPT  
**Rust Inhibitor:** Applied to inside of tank  
**Max Working Pressure:** 150 psi  
**Size:** 6.4" x 5.5" x 6.5" (LxWxH) [163 mm x 140 mm x 152 mm]  
**Weight:** 3.4 lbs. [1.54 kg]  
*Welded on Mounting Brackets*

## ALUMINUM AIR TANK KITS

Our polished aluminum tanks are made with less corrosive and lighter material than the standard steel tanks.

Pacbrake offers three air tank sizes: a ½ gallon tank, a 2 ½ gallon tank and a 5 gallon tank\*. Each premium air tank kit comes complete with an air tank, mounting fasteners, airline, fittings, air accessories, an air nozzle and more.



### PREMIUM ALUMINUM KITS

#### 1/2 GALLON AIR TANK KIT



#### HP10266

**Tank Specifics (HP10257):**  
**Ports:** 2 x ¼" (-4) NPT  
**Max Working Pressure:** 200 psi  
**Size:** 8.4" x 5.9" x 7.1" (LxWxH) [213.05 mm x 150 mm x 180 mm]  
**Weight:** 1.98 lbs. [0.9 kg]  
*Welded on Mounting Brackets*

#### 2 1/2 GALLON AIR TANK KIT



#### HP10267

**Tank Specifics (HP10258):**  
**Ports:** 6 x ¼" (-4) NPT  
**Max Working Pressure:** 200 psi  
**Size:** 23.3" x 5.9" x 7.3" (LxWxH) [592 mm x 150 mm x 186 mm]  
**Weight:** 4.9 lbs. [2.2 kg]  
*Welded on Mounting Brackets*

#### 5 GALLON AIR TANK KIT



#### HP10268\*

**Tank Specifics (HP10259):**  
**Ports:** 2 x 3/8" (-6) NPT  
2 x ¼" (-4) NPT  
**Max Working Pressure:** 200 psi  
**Size:** 20.1" x 9.2" x 10.3" (LxWxH) [510 mm x 234 mm x 262 mm]  
**Weight:** 7.9 lbs. [3.6 kg]  
*Welded on Mounting Brackets*

### BASIC ALUMINUM KITS

#### 1/2 GALLON AIR TANK KIT



#### HP10263

**Tank Specifics (HP10257):**  
**Ports:** 2 x ¼" (-4) NPT  
**Max Working Pressure:** 200 psi  
**Size:** 8.4" x 5.9" x 7.1" (LxWxH) [213.05 mm x 150 mm x 180 mm]  
**Weight:** 1.98 lbs. [0.9 kg]  
*Welded on Mounting Brackets*

#### 2 1/2 GALLON AIR TANK KIT



#### HP10264

**Tank Specifics (HP10258):**  
**Ports:** 6 x ¼" (-4) NPT  
**Max Working Pressure:** 200 psi  
**Size:** 23.3" x 5.9" x 7.3" (LxWxH) [592 mm x 150 mm x 186 mm]  
**Weight:** 4.9 lbs. [2.2 kg]  
*Welded on Mounting Brackets*

#### 5 GALLON AIR TANK KIT



#### HP10265\*

**Tank Specifics (HP10259):**  
**Ports:** 2 x 3/8" (-6) NPT  
2 x ¼" (-4) NPT  
**Max Working Pressure:** 200 psi  
**Size:** 20.1" x 9.2" x 10.3" (LxWxH) [510 mm x 234 mm x 262 mm]  
**Weight:** 7.9 lbs. [3.6 kg]  
*Welded on Mounting Brackets*

\* PLEASE NOTE: Not approved for use with an HP325 series compressor.





JOIN THE  
PACK

## SPACERS FOR LIFTED TRUCKS

Pacbrake Air Spring Spacer Kits allow for installation of air springs\* on lifted trucks while still keeping them at their lifted height.

Made of high quality carbon steel with protective powder coating, Pacbrake pacers have been manufactured for maximum strength and corrosion resistance.

KITS	PART #
2" spacers	HP10152
4" spacers	HP10154
6" spacers	HP10156



\* PLEASE NOTE: For use only with single or double convoluted air springs.

## BECOME A DEALER!

SIGN UP TODAY! [pacbrake.com/newdealer](https://pacbrake.com/newdealer)

AT PACBRAKE, WE ARE A PACK. AND THE PACK HUNTS TOGETHER:

### FREE Marketing Materials

In-store marketing displays, point of purchase material, and product photos for your website. We want to help you sell!

### Subsidized eCommerce Program

Get selling online for one low monthly fee.\*\* Save thousands in up front costs!

### Shop Truck Program

Purchase one Air Spring kit from Pacbrake at 50% off your purchasing price level to be used on any shop truck.

### Air Spring Cut-Away Display

Our most requested and powerful sales tool that shows off Pacbrake's superior build quality and durability!

### Website Listing

On our 'Find a Dealer' web page; physical location(s) for Brick & Mortar stores, plus website and logo for online retailers.

\*\* 24-month term. Must sell Pacbrake products online throughout term. Package does not include payment gateway selection or fees. \$1,000 USD set up fee required at beginning of contract.





# FOR PACK LEADERS

## PERFORMANCE PARTS .....20

Horns .....22

Leveling Kits .....24

Max Flow Elbow .....25

Oil Filter Relocation Kits .....26

Spring Kits .....27





# HOWL

## LIKE YOU MEAN IT!



### HOWL LOUDER THAN ANYONE ELSE IN YOUR PACK

Each Pacbrake Premium Air Horn Kit comes with compressor (HP10143), ½ gallon air tank (C11940), curly hose & accessories kit (C11657) and all wiring, harnesses and fittings. Basic Kits come without the compressor and tank.

## TRIPLE TRAIN HORN

Even wolves would drool over these air horns. Zinc alloy. Chrome finish. Cast stainless steel. And howling loud!

- HP10314 Premium Kit
- HP10254 Basic Kit
- HP10282 Horn Only



## HORN TRIO

Back in black. Matte black. And triplets to boot!

- HP10237 Premium Kit
- HP10235 Basic Kit
- HP10239 Horn Only



## DUAL HORNS

Jump scare loud. These twins will turn heads.

- HP10213 Premium Kit
- HP10073 Basic Kit
- HP10023 Horn Only




## LARGE HORN

Bigger. Longer. Shinier. Howl yeah!

- HP10238 Premium Kit
- HP10234 Basic Kit
- HP10236 Horn Only







## LEVELING KITS

- Levels the stance of a vehicle by raising the front end a fixed amount
- Increases both the ground and wheel well clearance to allow for installation of larger tires
- Designed with safety and ease of installation in mind, these kits require no strut preloading, cutting, or modification of factory installed parts



### GMC/CHEVROLET



### DODGE RAM



### FORD



## MAX FLOW ELBOW

This 4" cast iron elbow is designed to replace the restrictive stock Dodge elbow and increase your exhaust flow. There is a pre-tapped 1/8" NPT port for pyrometer (can be used to measure exhaust system backpressure) and the elbow can be used when an InLine exhaust brake installation is required.

### BENEFITS

- Gain horsepower, torque and fuel mileage
- Eliminate turbo lag
- Lower exhaust gas temperature


### ADDITIONAL KIT INFO

- Full marmon 4" exhaust outlet
- Includes exhaust adapter, 'V' clamp
- 12 point fasteners and flange gasket



APPLICATION	YEAR	MODEL	KIT #
Dodge	1994-2002	Ram Trucks (Equipped with Cummins & 4" Exhaust)	C44083





## OIL FILTER RELOCATION KITS

Our Oil Filtration Relocation Kits provide easy access and serviceability to the engine's oil filter. An oil filter relocation kit is most beneficial for those who have twin turbos, as the installation of the second turbo denies access to the stock filter location.

Pacbrake has designed this high quality filtration relocation kit using SAE grade hose, approved SAE fittings and CNC machined anodized aluminum filter head and base.



APPLICATION	YEAR	MODEL	KIT #
Dodge	1994-2002	RAM 5.9L Cummins Engines w/ Filter Thread of 1"-16 UN	HP10006
Dodge	2003-2007	RAM 5.9L Cummins Engines w/ Filter Thread of 1"-16 UN	HP10016
Dodge	2007½-2009	RAM 6.7L Cummins Engines* w/ Filter Thread of 1"-16 UN	HP10016
RAM	2010-2018	RAM 6.7L w/ Filter Thread of 1"-16 UN	HP10305
RAM	2009-2018	RAM 1500 w/ M22 x1.5 mm Oil Filter Thread	HP10362
RAM	2019+	RAM 1500 w/ M22 x1.5 mm Oil Filter Thread	HP10363
RAM 2500/3500	2019+	RAM 2500/3500 w/ Filter Thread of 1 1/8"-16 UN	HP10364
Universal	n/a	Universal Mounting Kit for Cummins Engines w/ Filter Thread of 1"-16 UN	HP10007
Universal	n/a	Universal Mounting Kit for Cummins Engines w/ Filter Thread of M27 - 2.0 (metric)	HP10125
Universal	n/a	Universal Mounting Kit for Cummins Engines w/ Filter Thread of 1 1/8"-16 UN	HP10174


**\* CAUTION:** Inner fender well must be modified to provide filter clearance.

## SPRING KITS

Pacbrake offers a wide variety of spring kits for all applications of 6BT and 4BT Cummins engines. Whether you are installing an exhaust brake or governor spring kits, we have the kit for you.

Heavy duty valve springs are Cummins OEM 3916691 white strip springs. The 60lbs. spring is required for exhaust brake applications and is suggested for all governor spring installs.

Governor spring kits allow the Bosch P7100 to spin the engine RPM up to 4000 RPM. Each kit comes complete with parts for either 3000 or 4000 RPM. Pacbrake Governor Spring Kits are recommended for vehicles that have 5 speed standard transmissions. They are perfect for those who tow heavy loads and want more responsive power.



### PREMIUM KIT | HP10244\*



6 HD valve spring with 6 valve cover gaskets, 6 hold down bolt seals, and Governor spring kit

### BASIC KIT | HP10241



6 HD valve spring with 6 valve cover gaskets and 6 hold down bolt seals

### SPRING KIT | HP10246\*



6 HD valve springs and Governor spring kit

### PREMIUM KIT | HP10243\*



12 HD valve spring with 6 valve cover gaskets, 6 hold down bolt seals, and Governor spring kit

### BASIC KIT | HP10240



6 HD valve spring with 6 valve cover gaskets, 6 hold down bolt seals, and Governor spring kit

### SPRING KIT | HP10245\*



12 HD valve springs and Governor spring kit

### GASKET KIT | HP10242



6 valve cover gaskets, 6 hold down bolt seals

### GOVERNOR SPRING KIT | HP10229\*



Governor spring kit

#### \* PLEASE NOTE:

These kits are not legal for sale or use in California. This kit may not meet emission standards for your area. Check your local regulations prior to installing.





# PURE BRAKING POWER

PRXB EXHAUST BRAKE.....30







## PRXB EXHAUST BRAKE

Slows from **50 MPH to 20 MPH 1500 ft. sooner** than vehicles equipped with standard exhaust brakes.

### FEATURES AND BENEFITS

- Delivers maximum backpressure throughout the entire operating RPM range
- Withstands extremely high exhaust temperatures
- Compliant with latest emission regulations
- Severe duty and military approved
- No risk of engine overpressure
- Decreased service brake wear

### SPECIFICS


**STAINLESS STEEL SEALED AIR CYLINDER**

**MAXIMUM ALLOWABLE EXHAUST BACKPRESSURE LIMIT**

**NO OVERPRESSURE POTENTIAL**

**AUTOMATIC LOW RPM ADJUSTMENT**

**ARCOR® NITRIDE HOUSING & COMPONENTS**



### EXHAUST BRAKE OPTIONS

**DirectMount** - Pacbrake's DirectMount exhaust brakes go behind the turbo in place of the exhaust elbow. It's a direct bolt-on kit that is easy to install.

**InLineMount** - Pacbrake's InLineMount exhaust brakes mount in the exhaust system between the engine and muffler/cat.

## PRXB EXHAUST BRAKE COMPLETE KIT COMPONENTS



Every PRXB automotive kit comes with everything required for a complete installation: PRXB Exhaust Brake, Controller (when required, for some applications) and Onboard Air Kit (HP325 Series Compressor, 1/2 Gallon Air Tank, 25 ft. Curly Air Hose, Air Accessories and Fittings Kit). Kit contents may vary.

### HP325 AIR COMPRESSOR

These 1/4 horsepower compressors have an oil-less design, sealed bearings, a PTFE piston ring, a copper wire wound permanent magnet motor and a hard anodized aluminum sleeve.

- 1.1 SCFM
- 150 psi max working pressure
- - 40F min/ 158F max ambient temperature



### 1/2 GALLON AIR TANK KIT

Working in conjunction with an air compressor, an air tank stores the compressed air until required. Storing air allows for quicker product activation and is especially valuable when operating more than one product.

- Welded on mounting brackets
- 2 - 1/4" NPT ports
- Rust inhibitor applied to inside of tank
- 150 psi max working pressure



### AIR TANK CURLY HOSE AND ACCESSORIES KIT

Attach the curly hose with the quick disconnect chuck to the compressor to perform a variety of tasks including: filling tires, checking air pressure and cleaning (dusting and quick removal of debris), etc.



### HARNESS

Custom plug & play wiring harness with weather proof connectors. ‡  
Hardware used in all kits are Grade 5 minimum. ‡



‡ where applicable



# Warranty

## Pacbrake Exhaust Brake Limited Warranty

### PACBRAKE EXHAUST BRAKE LIMITED WARRANTY

This Pacbrake exhaust brake warranty applies to NEW or USED vehicles with turbo mount or inline exhaust brakes. Pacbrake Limited Warranty applies to the original purchaser when on the engine of first installation. This warranty is for Pacbrake exhaust brakes delivered after January 01, 2004.

The Warranty is non-transferable to next vehicle owner or another engine.

The Pacbrake exhaust brake is a product of Pacbrake Company and is designed and intended for use as an auxiliary retarding device for diesel engines only. The exhaust brake is warranted to be free of defects in material, workmanship and operation under normal use and service for the warranty coverage period set forth below. This product will only be warranted for a Pacbrake validated exhaust brake application. There are no representations or warranties, which extend beyond the terms hereof.

THERE ARE NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING NO WARRANTY OF MERCHANTABILITY AND NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

#### PRODUCT WARRANTED:

All vehicles equipped with a Pacbrake Direct Mount or Inline Mount exhaust brake.

#### WARRANTY COVERAGE

Exhaust Brake Warranty Coverage Period:

- Exhaust Brake Assembly - two years unlimited mileage.

Related Pacbrake attaching/control parts all exhaust brake and vehicle/engine models:

- Auxiliary air supply, pneumatic components, solenoid valve, controller, harnesses, and switches - 1 year / unlimited mileage.

Exhaust Brake Replacement Parts Coverage Period:

- Replacement parts - 180 days (unlimited mileage) or the balance of the remaining warranty, whichever is longer. Pacbrake replacement parts installed after expiration of the original warranty shall be covered for a period of 180 days from the date of installation.

Labor charges:

- Are included in the warranty for replacement parts installed during the original warranty period. After the end of the original limited warranty period, replacement parts labor shall be covered for a period of 180 days from the date of installation.

#### LIMITED WARRANTY

Under these limited warranties, Pacbrake's factory will repair or replace without charge, any part returned to us, freight prepaid, which our examination discloses to our satisfaction to have been defective within the warranty coverage period measured from the date of delivery of the product in question to the original user.

Pacbrake Company will pay for all reasonable necessary repairs to damaged engine components in which a Pacbrake retarder has been properly installed, provided the damage is established to be a direct result of a defect in the Pacbrake Exhaust Brake occurring under normal use, service and approved application during the warranty coverage. No engine damage coverage shall be provided beyond this time period on replacement parts.

This warranty will not apply to any part or parts which have been altered or repaired, or to parts which have been subjected to misuse, abuse, neglect, or accident, or to parts which have been improperly applied, or installed. Improper installation, application, or substitution of parts not manufactured or approved by us shall void this warranty. Pacbrake product must have been maintained according to service information in Pacbrake Driver's Guide - form L5046.

PACBRAKE'S SOLE LIABILITY AND YOUR EXCLUSIVE REMEDY IS LIMITED TO THE OBLIGATIONS SET FORTH HEREIN AND PACBRAKE SHALL NOT BE LIABLE FOR ANY SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES.

If the product should become defective within the warranty coverage period an authorized Pacbrake distributor shall be notified by you within ninety (90) days of your having notice of a defect. If a Pacbrake Distributor is unable to correct the problem or if you have any questions regarding this warranty, write to the following address giving full details of the problem including proof of purchase, the model and serial numbers of the product involved.

**USA:** Pacbrake Company  
1670 Grant Avenue  
Blaine, WA 98230-5161

**Canada:** Pacbrake Company  
19594 - 96th Ave.  
Surrey, BC V4N 4C3

**Warranty registrations must be completed either online or via mail using the provided warranty card in your Pacbrake product kit. All warranty registrations must be submitted within 30 days of the installation date.**

# Warranty

## Pacbrake 2003 & Newer Dodge Exhaust Brake Limited Warranty

### PACBRAKE 2003 & NEWER DODGE EXHAUST BRAKES LIMITED WARRANTY

This Pacbrake exhaust brake warranty applies to the 2003 and newer Dodge Diesel with a turbo mount exhaust brake. Pacbrake Limited Warranty applies to the original purchaser when on the engine of first installation. This warranty is for Pacbrake exhaust brakes delivered after January 01, 2004.

The Warranty is non-transferable to next vehicle owner or another engine.

The Pacbrake exhaust brake is a product of Pacbrake Company and is warranted to be free of defects in material, workmanship and operation under normal use and service for the warranty coverage period set forth below. There are no representations or warranties, which extend beyond the terms hereof.

THERE ARE NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING NO WARRANTY OF MERCHANTABILITY AND NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

#### PRODUCT WARRANTED:

2003 and newer Dodge Diesel equipped with a Pacbrake turbo mount exhaust brake.

#### WARRANTY COVERAGE

Exhaust Brake Warranty Coverage Period:

- Exhaust Brake Assembly - three years/100,000 miles, whichever shall occur first.

Related Pacbrake attaching/control parts:

- Auxiliary air supply (compressor), pneumatic components, controller, solenoid valve, harnesses, and switches - 1 year / unlimited miles.

Exhaust Brake Replacement Parts Coverage Period:

- Replacement parts - 180 days (unlimited mileage) or the balance of the remaining warranty, whichever is longer. Pacbrake replacement parts installed after expiration of the original warranty shall be covered for a period of 180 days from the date of installation.

Labor charges:

- Are included in the warranty for replacement parts installed during the original warranty period. After the end of the original limited warranty period, replacement parts labor shall be covered for a period of 180-days from the date of installation.

#### LIMITED WARRANTY

Under these limited warranties, Pacbrake's factory will repair or replace without charge, any part returned to us, freight prepaid, which our examination discloses to our satisfaction to have been defective within the warranty coverage period measured from the date of delivery of the product in question to the original user.

Pacbrake Company will pay for all reasonable necessary repairs to damaged engine components in which a Pacbrake retarder has been properly installed, provided the damage is established to be a direct result of a defect in the Pacbrake Exhaust Brake occurring under normal use and service during the first three (3) years/100,000 miles (whichever shall occur first) on brake assembly and one (1) year/100,000 miles (whichever shall occur first) on attaching, controlling, and related parts.

No engine damage coverage shall be provided beyond this time.

This warranty will not apply to any part or parts which have been altered or repaired, or to parts which have been subjected to misuse, abuse, neglect, or accident, or to parts which have been improperly applied, or installed. Improper installation, application, or substitution of parts not manufactured or approved by us shall void this warranty. Pacbrake product must have been maintained according to service information in Pacbrake Driver's Guide - form L5046.

PACBRAKE'S SOLE LIABILITY AND YOUR EXCLUSIVE REMEDY IS LIMITED TO THE OBLIGATIONS SET FORTH HEREIN AND PACBRAKE SHALL NOT BE LIABLE FOR ANY SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES.

If the product should become defective within the warranty coverage period an authorized Pacbrake distributor shall be notified by you within ninety (90) days of your having notice of a defect. If a Pacbrake Distributor is unable to correct the problem or if you have any questions regarding this warranty, write to the following address giving full details of the problem including proof of purchase, the model and serial numbers of the product involved.

**USA:** Pacbrake Company  
1670 Grant Avenue  
Blaine, WA 98230-5161

**Canada:** Pacbrake Company  
19594 - 96th Ave.  
Surrey, BC V4N 4C3

**Warranty registrations must be completed either online or via mail using the provided warranty card in your Pacbrake product kit. All warranty registrations must be submitted within 30 days of the installation date.**



# Warranty

## Pacbrake Air Spring & Air Management Limited Warranty

This Pacbrake warranty applies to all Air Spring and Air Management Systems listed below.

This warranty is non-transferable to next vehicle owner or another vehicle. The Air Spring and Air Management Systems are products of Pacbrake Company and are warranted to be free of defects in construction and operation under normal use and service for the Warranty Coverage periods set forth. There are no representations or warranties, which extend beyond the terms hereof.

THERE ARE NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING NO WARRANTY OF MERCHANTABILITY AND NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

### PRODUCT WARRANTED

Warranty Coverage applies to ALL Pacbrake AIR SPRING and AIR MANAGEMENT SYSTEM models.

### WARRANTY COVERAGE

#### Air Springs

- **Lifetime warranty on the original air springs to the original purchaser on the vehicle of first installation**  
Convoluted Air Springs: Delivered on or after March 1<sup>st</sup>, 2010.  
Sleeve Style Air Springs: Delivered on or after March 1<sup>st</sup>, 2014.  
Polyurethane Air Springs: Delivered on or after March 1<sup>st</sup>, 2014.
- **Replacement air springs 6 months warranty**

#### Air Spring Mounting Brackets, Spacers & Fasteners:

- Two (2) years or 24,000 miles (38,000 kms), whichever shall occur first\*. Delivered on or after March 1<sup>st</sup>, 2018.

#### Air Management Control Components including

##### Air Compressors, Switches, Solenoids, Gauges, Air Tanks:

- Two (2) years or 24,000 miles (38,000 kms), whichever shall occur first\*. Delivered on or after March 1<sup>st</sup>, 2018.

#### O-Rings, Fittings, Hoses and Accessories:

- One (1) year or 12,000 miles (19,000 kms), whichever shall occur first\*.

*\*Component failure as a result of corrosion is NOT covered by warranty.*

### Air Spring and Air Management Systems Replacement Component and/or Assemblies Coverage Period:

- Six (6) months unlimited mileage or the remainder of the original warranty, whichever is longer.

#### Labor Charges:

Labor charges associated with repair or replacement of this product is the sole responsibility of the vehicle owner.

### LIMITED WARRANTY

Under these limited warranties, Pacbrake will repair or replace without charge, any part returned to us, freight prepaid, which our examination discloses to our satisfaction to have been defective within the warranty coverage period measured from the date of delivery of the product in question to the original user.

This warranty will not apply to any part or parts which have been altered or repaired, or to parts which have been subjected to misuse, abuse, neglect, off-road, racing ("Racing" is used in its broadest sense and for example, without regard to formalities in relation to prizes, competition, etc.) or accident, or to parts which have been improperly applied, or installed. Improper installation, application, or substitution of parts not manufactured or approved by us shall void this warranty.

PACBRAKE'S SOLE LIABILITY AND YOUR EXCLUSIVE REMEDY IS LIMITED TO THE OBLIGATIONS SET FORTH HEREIN AND PACBRAKE SHALL NOT BE LIABLE FOR ANY SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES.

If the product should become defective within the warranty coverage period an authorized Pacbrake distributor shall be notified by you within ninety (90) days of your having notice of a defect. If a Pacbrake Distributor is unable to correct the problem or if you have any questions regarding this warranty, write to the address shown below and provide full details of the problem including proof of purchase, the model and serial numbers of the product if applicable.

<b>USA:</b>	PO Box 1822 Blaine, WA 98231-1822	<b>Canada:</b>	19594 96 Avenue Surrey, BC V4N 4C3
-------------	---	----------------	--

**PLEASE NOTE: OWNER'S WARRANTY WILL BE VOID IF AIR SPRINGS RUN WITH LESS THAN THE MINIMUM OF 10 PSI.**  
**WARRANTY CARD MUST BE COMPLETED & MAILED WITHIN 30 DAYS TO VALIDATE WARRANTY.**  
Online warranty registration is available at [www.pacbrake.com/warranty](http://www.pacbrake.com/warranty)

# Warranty

## Pacbrake 5" Dodge PRXB Exhaust Brake Limited Warranty

### PACBRAKE 5" DODGE PRXB EXHAUST BRAKE LIMITED WARRANTY

This warranty is non-transferable to next vehicle owner or another engine. The Pacbrake exhaust brake is a product of Pacbrake Company and is warranted to be free of defects in construction and operation under normal use and service for the Warranty Coverage periods set forth. There are no representations or warranties, which extend beyond the terms hereof.

THERE ARE NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING NO WARRANTY OF MERCHANTABILITY AND NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

### PRODUCT WARRANTED:

Warranty Coverage applies to Pacbrake 5" DODGE PRXB EXHAUST BRAKE models.

### WARRANTY COVERAGE

#### Exhaust Brake Assembly, Replacement Housing and components Coverage Period:

- six (6) months or 6,000 miles (9,656 kilometres), whichever shall occur first.

#### Related Control Components and Attaching Parts including Seals, Switches, Controller, Vacuum, Air Supplies and O-Rings:

- six (6) months or 6,000 miles (9,656 kilometres), whichever shall occur first.

#### Labor charges:

- Shall be the sole responsibility of the vehicle owner.

**Warranty registrations must be completed either online or via mail using the provided warranty card in your Pacbrake product kit. All warranty registrations must be submitted within 30 days of the installation date.**

### LIMITED WARRANTY

Under these limited warranties, Pacbrake will repair or replace without charge, any part returned to us, freight prepaid, which our examination discloses to our satisfaction to have been defective within the warranty coverage period measured from the date of delivery of the product in question to the original user. In no case will the obligation of Pacbrake Company exceed the original purchase price of the product as indicated on the original purchase invoice.

This warranty will not apply to any part or parts which have been altered or repaired, or to parts which have been subjected to misuse, abuse, neglect, racing ("Racing" is used in its broadest sense and for example, without regard to formalities in relation to prizes, competition, etc.) or accident, or to parts which have been improperly applied, or installed. Improper installation, application, or substitution of parts not manufactured or approved by us shall void this warranty.

PACBRAKE'S SOLE LIABILITY AND YOUR EXCLUSIVE REMEDY IS LIMITED TO THE OBLIGATIONS SET FORTH HEREIN AND PACBRAKE SHALL NOT BE LIABLE FOR ANY SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES.

If the product should become defective within the warranty coverage period an authorized Pacbrake distributor shall be notified by you within ninety (90) days of your having notice of a defect. If a Pacbrake Distributor is unable to correct the problem or if you have any questions regarding this warranty, write to the following address providing full details of the problem including proof of purchase, the model and serial numbers of the product if applicable.

**USA:** Pacbrake Company  
1670 Grant Avenue  
Blaine, WA 98230-5161

**Canada:** Pacbrake Company  
19594 - 96th Ave.  
Surrey, BC V4N 4C3



# **Warranty**

## **Pacbrake Oil Filter Relocation Kit** **Limited Warranty**

### **PACBRAKE OIL FILTER RELOCATION KITS** **LIMITED WARRANTY**

This Pacbrake warranty applies to all Oil Filter Relocation Kits delivered on or after April 1<sup>st</sup>, 2007.

The Oil Filter Relocation Kit is a product of Pacbrake Company and is warranted to be free of defects in construction and operation under normal use and service for the Warranty Coverage periods set forth. The warranty is non-transferable to next vehicle owner or another vehicle. There are no representations or warranties, which extend beyond the terms hereof.

THERE ARE NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING NO WARRANTY OF MERCHANTABILITY AND NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

#### **PRODUCT WARRANTED**

Warranty Coverage applies to ALL PACBRAKE OIL FILTER RELOCATION KITS.

#### **WARRANTY COVERAGE**

90 days from the date of original purchase with a defect in either material or workmanship of the product.

#### **Labor charges:**

Labor charges associated with repair or replacement of this product is the sole responsibility of the vehicle owner.

#### **LIMITED WARRANTY**

Under these limited warranties, Pacbrake will repair or replace without charge, any part returned to us, freight prepaid, which our examination discloses to our satisfaction to have been defective within the warranty coverage period measured from the date of delivery of the product in question to the original user.

This warranty will not apply to any part or parts which have been altered or repaired, or to parts which have been subjected to misuse, abuse, neglect, off-road, racing ("Racing" is used in its broadest sense and for example, without regard to formalities in relation to prizes, competition, etc.) or accident, cosmetic and or finishing issues, or to parts which have been improperly applied, or installed. Improper installation, application, or substitution of parts not manufactured or approved by us shall void this warranty.

PACBRAKE'S SOLE LIABILITY AND YOUR EXCLUSIVE REMEDY IS LIMITED TO THE OBLIGATIONS SET FORTH HEREIN AND PACBRAKE SHALL NOT BE LIABLE FOR ANY SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES.

If the product should become defective within the warranty coverage period an authorized Pacbrake distributor shall be notified by you within ninety (90) days of your having notice of a defect. If a Pacbrake Distributor is unable to correct the problem or if you have any questions regarding this warranty, write to the following address providing full details of the problem including **proof of purchase** and the model number of the product involved.

**USA:** Pacbrake Company  
1670 Grant Avenue  
Blaine, WA 98230-5161

**Canada:** Pacbrake Company  
19594 - 96th Ave.  
Surrey, BC V4N 4C3

Warranty registrations must be completed either online or via mail using the provided warranty card in your Pacbrake product kit. All warranty registrations must be submitted within 30 days of the installation date.

# **Warranty**

## **Pacbrake Tie Rod Sleeves** **Limited Warranty**

### **PACBRAKE TIE ROD SLEEVES** **LIMITED WARRANTY**

This Pacbrake warranty applies to all Tie rod Sleeves delivered on or after March 1<sup>st</sup>, 2007.

The Tie Rod Sleeve is a product of Pacbrake Company and is warranted to be free of defects in construction and operation under normal use and service for the Warranty Coverage periods set forth. The warranty is non-transferable to next vehicle owner or another vehicle. There are no representations or warranties, which extend beyond the terms hereof.

THERE ARE NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING NO WARRANTY OF MERCHANTABILITY AND NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

#### **PRODUCT WARRANTED**

Warranty Coverage applies to ALL PACBRAKE TIE ROD SLEEVE KITS.

#### **WARRANTY COVERAGE**

6 months or 6,000 miles (9,600 kilmoetres), whichever shall occur first, against the manufacturing material and defects.

#### **Labor charges:**

Labor charges associated with repair or replacement of this product is the sole responsibility of the vehicle owner.

#### **Tie Rod Sleeve Replacement Assemblies Coverage Period:**

Replacement component and or Assemblies: 6 months or 6,000 miles (9,600 kilometres), or the remainder of the original warranty, whichever is longer.

#### **LIMITED WARRANTY**

Under these limited warranties, Pacbrake will repair or replace without charge, any part returned to us, freight prepaid, which our examination discloses to our satisfaction to have been defective within the warranty coverage period measured from the date of delivery of the product in question to the original user.

This warranty will not apply to any part or parts which have been altered or repaired, or to parts which have been subjected to misuse, abuse, neglect, off-road, racing ("Racing" is used in its broadest sense and for example, without regard to formalities in relation to prizes, competition, etc.) or accident, cosmetic and or finishing issues, or to parts which have been improperly applied, or installed. Improper installation, application, or substitution of parts not manufactured or approved by us shall void this warranty.

PACBRAKE'S SOLE LIABILITY AND YOUR EXCLUSIVE REMEDY IS LIMITED TO THE OBLIGATIONS SET FORTH HEREIN AND PACBRAKE SHALL NOT BE LIABLE FOR ANY SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES.

If the product should become defective within the warranty coverage period an authorized Pacbrake distributor shall be notified by you within ninety (90) days of your having notice of a defect. If a Pacbrake Distributor is unable to correct the problem or if you have any questions regarding this warranty, write to the following address providing full details of the problem including **proof of purchase** and the model number of the product involved.

**USA:** Pacbrake Company  
1670 Grant Avenue  
Blaine, WA 98230-5161

**Canada:** Pacbrake Company  
19594 - 96th Ave.  
Surrey, BC V4N 4C3

Warranty registrations must be completed either online or via mail using the provided warranty card in your Pacbrake product kit. All warranty registrations must be submitted within 30 days of the installation date.





## Pacbrake Leveling Kit Limited Warranty

### PACBRAKE LEVELING KITS LIMITED WARRANTY

This Pacbrake warranty applies to all Leveling Kits delivered on or after March 1<sup>st</sup>, 2007.

The Leveling Kit is a product of Pacbrake Company and is warranted to be free of defects in construction and operation under normal use and service for the Warranty Coverage periods set forth. The warranty is non-transferable to next vehicle owner or another vehicle. There are no representations or warranties, which extend beyond the terms hereof.

THERE ARE NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING NO WARRANTY OF MERCHANTABILITY AND NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

#### PRODUCT WARRANTED

Warranty Coverage applies to ALL PACBRAKE LEVELING KITS.

#### WARRANTY COVERAGE

Product has lifetime warranty to the original purchaser.

#### Labor charges:

Labor charges associated with repair or replacement of this product is the sole responsibility of the vehicle owner.

### LIMITED WARRANTY

Under these limited warranties, Pacbrake will repair or replace without charge, any part returned to us, freight prepaid, which our examination discloses to our satisfaction to have been defective within the warranty coverage period measured from the date of delivery of the product in question to the original user.

This warranty will not apply to any part or parts which have been altered or repaired, or to parts which have been subjected to misuse, abuse, neglect, off-road, racing ("Racing" is used in its broadest sense and for example, without regard to formalities in relation to prizes, competition, etc.) or accident, cosmetic and or finishing issues, or to parts which have been improperly applied, or installed. Improper installation, application, or substitution of parts not manufactured or approved by us shall void this warranty.

PACBRAKE'S SOLE LIABILITY AND YOUR EXCLUSIVE REMEDY IS LIMITED TO THE OBLIGATIONS SET FORTH HEREIN AND PACBRAKE SHALL NOT BE LIABLE FOR ANY SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES.

If the product should become defective within the warranty coverage period an authorized Pacbrake distributor shall be notified by you within ninety (90) days of your having notice of a defect. If a Pacbrake Distributor is unable to correct the problem or if you have any questions regarding this warranty, write to the following address providing full details of the problem including **proof of purchase** and the model number of the product involved.

**USA:** Pacbrake Company  
1670 Grant Avenue  
Blaine, WA 98230-5161

**Canada:** Pacbrake Company  
19594 - 96th Ave.  
Surrey, BC V4N 4C3

Warranty registrations must be completed either online or via mail using the provided warranty card in your Pacbrake product kit. All warranty registrations must be submitted within 30 days of the installation date.



## Pacbrake Valve Spring & Valve Cover Gasket / Seal Kits - Limited Warranty

### PACBRAKE VALVE SPRINGS & VALVE COVER GASKET/SEAL KITS LIMITED WARRANTY

This Pacbrake warranty applies to all Pacbrake Valve Springs & Valve Cover Gasket/Seal Kits delivered on or after March 1<sup>st</sup>, 2007.

Pacbrake Valve Springs & Valve Cover Gasket/Seal Kits are products of Pacbrake Company and are warranted to be free of defects in construction and operation under normal use and service for the Warranty Coverage periods set forth. The warranty is non-transferable to next vehicle owner or another vehicle. There are no representations or warranties, which extend beyond the terms hereof.

THERE ARE NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING NO WARRANTY OF MERCHANTABILITY AND NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

#### PRODUCT WARRANTED

Warranty Coverage applies to ALL PACBRAKE VALVE SPRINGS & VALVE COVER GASKET/SEAL KITS.

#### WARRANTY COVERAGE

90 days against workmanship issues and manufacturing material defects.

#### Labor charges:

Labor charges associated with repair or replacement of this product is the sole responsibility of the vehicle owner.



**GOVERNOR SPRING KITS (HP10029, HP10243, HP10244, HP10245 & HP10246) ARE NOT LEGAL FOR SALE OR USE IN CALIFORNIA.**

These kits may not meet emission standards for your area. Check your local regulations prior to installing.

### LIMITED WARRANTY

Under these limited warranties, Pacbrake will repair or replace without charge, any part returned to us, freight prepaid, which our examination discloses to our satisfaction to have been defective within the warranty coverage period measured from the date of delivery of the product in question to the original user.

This warranty will not apply to any part or parts which have been altered or repaired, or to parts which have been subjected to misuse, abuse, neglect, off-road, racing ("Racing" is used in its broadest sense and for example, without regard to formalities in relation to prizes, competition, etc.) or accident, cosmetic and or finishing issues, or to parts which have been improperly applied, or installed. Improper installation, application, or substitution of parts not manufactured or approved by us shall void this warranty.

PACBRAKE'S SOLE LIABILITY AND YOUR EXCLUSIVE REMEDY IS LIMITED TO THE OBLIGATIONS SET FORTH HEREIN AND PACBRAKE SHALL NOT BE LIABLE FOR ANY SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES.

If the product should become defective within the warranty coverage period an authorized Pacbrake distributor shall be notified by you within ninety (90) days of your having notice of a defect. If a Pacbrake Distributor is unable to correct the problem or if you have any questions regarding this warranty, write to the following address providing full details of the problem including **proof of purchase** and the model number of the product involved.

**USA:** Pacbrake Company  
1670 Grant Avenue  
Blaine, WA 98230-5161

**CANADA:** Pacbrake Company  
19594 - 96th Avenue  
Surrey, BC V4N 4C3

Warranty registrations must be completed either online or via mail using the provided warranty card in your Pacbrake product kit. All warranty registrations must be submitted within 30 days of the installation date.



# **Warranty**

**Pacbrake 4WD 2 Wheel Low Kits & Performance  
Override Switch Kits - Limited Warranty**

## PACBRAKE LIMITED WARRANTY

This Pacbrake warranty applies to all 4WD 2 Wheel Low Kits and Performance Override Switch Kits delivered on or after March 1<sup>st</sup>, 2007.

The 4WD 2 Wheel Low Kits and the Performance Override Switch Kits are products of Pacbrake Company and is warranted to be free of defects in construction and operation under normal use and service for the Warranty Coverage periods set forth. The warranty is non-transferable to next vehicle owner or another vehicle. There are no representations or warranties, which extend beyond the terms hereof.

THERE ARE NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING NO WARRANTY OF MERCHANTABILITY AND NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

## PRODUCT WARRANTED

Warranty Coverage applies to ALL PACBRAKE 4WD 2 WHEEL LOW KITS & PERFORMANCE OVERRIDE SWITCH KITS.

## WARRANTY COVERAGE

6 months against workmanship issues and manufacturing material defects.

## Labor charges:

Labor charges associated with repair or replacement of this product is the sole responsibility of the vehicle owner.

## LIMITED WARRANTY

Under these limited warranties, Pacbrake will repair or replace without charge, any part returned to us, freight prepaid, which our examination discloses to our satisfaction to have been defective within the warranty coverage period measured from the date of delivery of the product in question to the original user.

This warranty will not apply to any part or parts which have been altered or repaired, or to parts which have been subjected to misuse, abuse, neglect, off-road, racing ("Racing" is used in its broadest sense and for example, without regard to formalities in relation to prizes, competition, etc.) or accident, cosmetic and or finishing issues, or to parts which have been improperly applied, or installed. Improper installation, application, or substitution of parts not manufactured or approved by us shall void this warranty.

PACBRAKE'S SOLE LIABILITY AND YOUR EXCLUSIVE REMEDY IS LIMITED TO THE OBLIGATIONS SET FORTH HEREIN AND PACBRAKE SHALL NOT BE LIABLE FOR ANY SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES.

If the product should become defective within the warranty coverage period an authorized Pacbrake distributor shall be notified by you within ninety (90) days of your having notice of a defect. If a Pacbrake Distributor is unable to correct the problem or if you have any questions regarding this warranty, write to the following address providing full details of the problem including **proof of purchase** and the model number of the product involved.

**USA:** Pacbrake Company  
1670 Grant Avenue  
Blaine, WA 98230-5161

**Canada:** Pacbrake Company  
19594 - 96th Ave.  
Surrey, BC V4N 4C3

**Warranty registrations must be completed either online or via mail using the provided warranty card in your Pacbrake product kit. All warranty registrations must be submitted within 30 days of the installation date.**

# **Warranty**

**Pacbrake Air Horn  
Limited Warranty**

## PACBRAKE AIR HORNS LIMITED WARRANTY

This Pacbrake warranty applies to all Air Horns delivered on or after May 1<sup>st</sup>, 2007.

The Air Horns are a product of Pacbrake Company and is warranted to be free of defects in construction and operation under normal use and service for the Warranty Coverage periods set forth. The warranty is non-transferable to next vehicle owner or another vehicle. There are no representations or warranties, which extend beyond the terms hereof.

THERE ARE NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING NO WARRANTY OF MERCHANTABILITY AND NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

## PRODUCT WARRANTED

Warranty Coverage applies to ALL PACBRAKE AIR HORNS

## WARRANTY COVERAGE

60 days from date of purchase against manufacturing defects.

## Labor charges:

Labor charges associated with repair or replacement of this product is the sole responsibility of the vehicle owner.

## LIMITED WARRANTY

Under these limited warranties, Pacbrake will repair or replace without charge, any part returned to us, freight prepaid, which our examination discloses to our satisfaction to have been defective within the warranty coverage period measured from the date of delivery of the product in question to the original user.

This warranty will not apply to any part or parts which have been altered or repaired, or to parts which have been subjected to misuse, abuse, neglect, off-road, racing ("Racing" is used in its broadest sense and for example, without regard to formalities in relation to prizes, competition, etc.) or accident, cosmetic and or finishing issues, or to parts which have been improperly applied, or installed. Improper installation, application, or substitution of parts not manufactured or approved by us shall void this warranty.

PACBRAKE'S SOLE LIABILITY AND YOUR EXCLUSIVE REMEDY IS LIMITED TO THE OBLIGATIONS SET FORTH HEREIN AND PACBRAKE SHALL NOT BE LIABLE FOR ANY SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES.

If the product should become defective within the warranty coverage period an authorized Pacbrake distributor shall be notified by you within ninety (90) days of your having notice of a defect. If a Pacbrake Distributor is unable to correct the problem or if you have any questions regarding this warranty, write to the following address providing full details of the problem including **proof of purchase** and the model number of the product involved.

**USA:** Pacbrake Company  
1670 Grant Avenue  
Blaine, WA 98230-5161

**Canada:** Pacbrake Company  
19594 - 96th Ave.  
Surrey, BC V4N 4C3

**Warranty registrations must be completed either online or via mail using the provided warranty card in your Pacbrake product kit. All warranty registrations must be submitted within 30 days of the installation date.**



## **ORDERS**

800.663.0096  
insidesales@pacbrake.com

## **CUSTOMER SUPPORT**

800.663.0096  
info@pacbrake.com  
www.pacbrake.com/contact

## **HEAD OFFICE CANADA**

19594 96<sup>th</sup> Avenue  
Surrey, BC V4N 4C3

## **US OFFICE**

1670 Grant Avenue  
Blaine, WA 98230

## **US MAILING ADDRESS**

PO Box 1822  
Blaine, WA 98231-1822

## **WWW.PACBRAKE.COM**



AFTERMARKET BY  
**PACBRAKE**