



# PRXB Exhaust Brake Application Guide

APPLICATION	EXHAUST SIZE	DESCRIPTION	PRXB KIT #	SWITCH PAC (OPTIONAL)	ECM BYPASS (OPTIONAL)
-------------	--------------	-------------	------------	-----------------------	-----------------------

## DODGE RAM TRUCKS WITH STANDARD TRANSMISSIONS

### 1994-2002 DirectMount

<b>1994-1998</b> Cummins 5.9L 6BT 12 Valve Engine with 3" Stock Exhaust with HX/HY35 Turbo	Stock ✱	DirectMount 4" PRXB Exhaust Brake Kit with MAX FLOW Design (Air Actuated). Comes with Air Tank, Hose & Accessories. Includes Heavy Duty Exhaust Valve Springs.	<b>C44072</b>	<b>C18040</b>	<b>Included</b>
<b>1998½</b> Cummins 5.9L ISB 24 Valve Engine with 3" Stock Exhaust with HX/HY35 Turbo	Stock ✱	DirectMount 4" PRXB Exhaust Brake Kit with MAX FLOW Design (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C44074</b> + <b>C14004</b>	<b>C18041</b>	<b>C14004</b> (Required)
<b>1999-2002</b> Cummins 5.9L ISB 24 Valve Engine with 3" Stock Exhaust with HX/HY35 Turbo	Stock ✱	DirectMount 4" PRXB Exhaust Brake Kit with MAX FLOW Design (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C44074</b>	<b>C18041</b>	<b>C12015</b>

### 1994-2002 InLineMount

<b>1994-1998</b> Cummins 5.9L 6BT 12 Valve Engine	Stock ✱ ✱	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. <b>If the factory cast elbow has been removed a mounting group must be added.</b>	<b>C44060</b>	<b>C18040</b>	<b>Included</b>
<b>1998½</b> Cummins 5.9L ISB 24 Valve Engine	Stock ✱ ✱	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. <b>If the factory cast elbow has been removed a mounting group must be added.</b>	<b>C44062</b>	<b>C18041</b>	<b>Included</b>
<b>1999-2002</b> Cummins 5.9L ISB 24 Valve Engine	Stock ✱ ✱	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. <b>If the factory cast elbow has been removed a mounting group must be added.</b>	<b>C44064</b>	<b>C18041</b>	<b>C12015</b>

\* **NOTE:** All 1994-2002 trucks using a DirectMount kit that have 4" aftermarket exhaust systems require an additional adapter – C11342

\*\* **NOTE:** For vehicle's in which the factory HX/HY35 turbo charger has been changed to an aftermarket turbo charger, use only an inline kit. A mounting group must also be purchased with the kit. **Exhaust Size:** 4" – C11400, 3.5" – C11420, 3" – C11440

### 2003-2004½ DirectMount

<b>2003-2004</b> Cummins 5.9L ISB 24 Valve Engine (Built up to Jan 4, '04)	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C44030</b>	<b>C18042</b>	<b>C14037</b>
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). <b>For Vehicles with Existing Onboard Air.</b>	<b>C44031</b>	<b>C18042</b>	<b>C14037</b>
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake. <b>UPGRADE – Replaces Fixed Orifice Exhaust Brake.</b>	<b>C40110</b> EXHAUST BRAKE ONLY	<b>C18042</b>	<b>C14037</b>

**NOTE:** All above DirectMount 2003-2007 kits will NOT work with Banks Turbo Back Monster® Exhaust. However, they will work with Banks Cat Back Monster® Exhaust. Applications for aftermarket turbo chargers, please contact Pacbrake for further kit information: 800.663.0096



# PRXB Exhaust Brake Application Guide

APPLICATION	EXHAUST SIZE	DESCRIPTION	PRXB KIT #	SWITCH PAC (OPTIONAL)	ECM BYPASS (OPTIONAL)
-------------	--------------	-------------	------------	-----------------------	-----------------------

## DODGE RAM TRUCKS WITH STANDARD TRANSMISSIONS cont'

### 2003-2004½ DirectMount cont'

<b>2004½</b> Cummins 5.9L ISB 24 Valve Engine (Built Jan 5, '04-Jul 25, '04)	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C44045</b>	<b>C18042</b>	<b>C20135</b>
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). <b>For Vehicles with Existing Onboard Air.</b>	<b>C44037</b>	<b>C18042</b>	<b>C20135</b>
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake. <b>UPGRADE – Replaces Fixed Orifice Exhaust Brake.</b>	<b>C40111</b> EXHAUST BRAKE ONLY	<b>C18042</b>	<b>C20135</b>

### 2003-2004½ InLineMount

<b>2003-2004</b> Cummins 5.9L ISB 24 Valve Engine (Built up to Jan 4, '04)	5"	InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C44047</b>	<b>C18042</b>	<b>C14037</b>
<b>2004½</b> Cummins 5.9L ISB 24 Valve Engine (Built Jan 5, '04-Jul 25, '04)	5"	InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C44047</b>	<b>C18042</b>	<b>C20135</b>

**NOTE:** All above DirectMount 2003-2007 kits will NOT work with Banks Turbo Back Monster® Exhaust. However, they will work with Banks Cat Back Monster® Exhaust. Applications for aftermarket turbo chargers, please contact Pacbrake for further kit information: 800.663.0096

### 2003-2007 InLineMount

<b>2003-2007</b> Cummins 5.9L ISB 24 Valve Engine	4"	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C44068</b>	<b>C18042</b>	<b>C14037</b> (2003-2004) <b>C20135</b> (2004½) <b>C20141</b> (2005-2007)
---	----	---	---------------	---------------	---

### 2005-2007 DirectMount

<b>2005</b> Cummins 5.9L ISB 24 Valve Engine (Built Jul 26, '04-Jun 27, '05)	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C44045</b>	<b>C18042</b>	<b>C20141</b>
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). <b>For Vehicles with Existing Onboard Air.</b>	<b>C44037</b>	<b>C18042</b>	<b>C20141</b>
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake. <b>UPGRADE – Replaces Fixed Orifice Exhaust Brake.</b>	<b>C40111</b> EXHAUST BRAKE ONLY	<b>C18042</b>	<b>C20141</b>
<b>2006-2007</b> Cummins 5.9L ISB 24 Valve Engine (Built after Jun 27, '05)	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C44045</b>	<b>C18042</b>	<b>N/A</b>
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). <b>For Vehicles with Existing Onboard Air.</b>	<b>C44037</b>	<b>C18042</b>	<b>N/A</b>
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake. <b>UPGRADE – Replaces Fixed Orifice Exhaust Brake.</b>	<b>C40111</b> EXHAUST BRAKE ONLY	<b>C18042</b>	<b>N/A</b>

**NOTE:** All above DirectMount 2003-2007 kits will NOT work with Banks Turbo Back Monster® Exhaust. However, they will work with Banks Cat Back Monster® Exhaust. Applications for aftermarket turbo chargers, please contact Pacbrake for further kit information: 800.663.0096



# PRXB Exhaust Brake Application Guide

APPLICATION	EXHAUST SIZE	DESCRIPTION	PRXB KIT #	SWITCH PAC (OPTIONAL)	ECM BYPASS (OPTIONAL)
-------------	--------------	-------------	------------	-----------------------	-----------------------

## DODGE RAM TRUCKS WITH STANDARD TRANSMISSIONS cont'

### 2005-2007 InLineMount

<b>2005</b> Cummins 5.9L ISB 24 Valve Engine (Built Jul 26, '04-Jun 27, '05)	5"	InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C44047</b>	<b>C18042</b>	<b>C20141</b>
<b>2006-2007</b> Cummins 5.9L ISB 24 Valve Engine (Built after Jun 27, '05)	5"	InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C44047</b>	<b>C18042</b>	<b>N/A</b>

### 2007½-2016 InLineMount

<b>2007½-2017</b> Cummins 6.7L ISB 24 Valve Engine	4"	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C44038</b>	<b>N/A</b>	<b>N/A</b>
<b>2007½-2017</b> Cummins 6.7L ISB 24 Valve Engine	5"	InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C44039</b>	<b>N/A</b>	<b>N/A</b>

APPLICATION	EXHAUST SIZE	DESCRIPTION	PRXB KIT #	TRANSMISSION CONTROLLER
-------------	--------------	-------------	------------	-------------------------

## DODGE RAM TRUCKS WITH AUTOMATIC TRANSMISSIONS

### 1994-2002 DirectMount

<b>1994-1995</b> Cummins 5.9L 6BT 12 Valve Engine - 47RH Auto Trans with 3" Stock Exhaust with HX/HY35 Turbo	Stock ✱	DirectMount 4" PRXB Exhaust Brake Kit with MAX FLOW Design (Air Actuated). Comes with Air Tank, Hose & Accessories. Includes Heavy Duty Exhaust Valve Springs.	<b>C44073</b>	<b>Included</b>
<b>1996-1998</b> Cummins 5.9L 6BT 12 Valve Engine - 47RE Auto Trans with 3" Stock Exhaust with HX/HY35 Turbo	Stock ✱	DirectMount 4" PRXB Exhaust Brake Kit with MAX FLOW Design (Air Actuated). Comes with Air Tank, Hose & Accessories. Includes Heavy Duty Exhaust Valve Springs.	<b>C44076</b>	<b>Included</b>
<b>1998½-2002</b> Cummins 5.9L ISB 24 Valve Engine - 47RE Auto Trans with 3" Stock Exhaust with HX/HY35 Turbo	Stock ✱	DirectMount 4" PRXB Exhaust Brake Kit with MAX FLOW Design (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C44075</b>	<b>Included</b>

\* **NOTE:** All 1994-2002 trucks using a DirectMount kit that have 4" aftermarket exhaust systems require an additional adapter – C11342

\*\* **NOTE:** For vehicle's in which the factory HX/HY35 turbo charger has been changed to an aftermarket turbo charger, use only an inline kit. A mounting group must also be purchased with the kit. **Exhaust Size:** 4" – C11400, 3.5" – C11420, 3" – C11440



# PRXB Exhaust Brake Application Guide

APPLICATION	EXHAUST SIZE	DESCRIPTION	PRXB KIT #	TRANSMISSION CONTROLLER
-------------	--------------	-------------	------------	-------------------------

## DODGE RAM TRUCKS WITH AUTOMATIC TRANSMISSIONS cont'

### 1994-2002 InLineMount

<b>1994-1995</b> Cummins 5.9L 6BT 12 Valve Engine - 47RH Auto Trans	Stock ✖ ✖	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. <b>If the factory cast elbow has been removed a mounting group must be added.</b>	<b>C44059</b>	<b>Included</b>
<b>1996-1998</b> Cummins 5.9L 6BT 12 Valve Engine - 47RE Auto Trans	Stock ✖ ✖	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. <b>If the factory cast elbow has been removed a mounting group must be added.</b>	<b>C44061</b>	<b>Included</b>
<b>1998½</b> Cummins 5.9L ISB 24 Valve Engine - 47RE Auto Trans	Stock ✖ ✖	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. <b>If the factory cast elbow has been removed a mounting group must be added.</b>	<b>C44063</b>	<b>Included</b>
<b>1999-2002</b> Cummins 5.9L ISB 24 Valve Engine - 47RE Auto Tran	Stock ✖ ✖	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. <b>If the factory cast elbow has been removed a mounting group must be added.</b>	<b>C44065</b>	<b>Included</b>

\* **NOTE:** All 1994-2002 trucks using a DirectMount kit that have 4" aftermarket exhaust systems require an additional adapter – C11342

\*\* **NOTE:** For vehicle's in which the factory HX/HY35 turbo charger has been changed to an aftermarket turbo charger, use only an inline kit. A mounting group must also be purchased with the kit. **Exhaust Size:** 4" – C11400, 3.5" – C11420, 3" – C11440

### 2003-2004½ DirectMount

<b>2003-2004</b> Cummins 5.9L ISB 24 Valve Engine - 47 / 48RE Auto Trans (Built up to Jan 4, '04)	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C44049</b>	<b>Included</b>
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). <b>For Vehicles with Existing Onboard Air.</b>	<b>C44032</b>	<b>Included</b>
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake. <b>UPGRADE – Replaces Fixed Orifice Exhaust Brake.</b>	<b>C40110</b> EXHAUST BRAKE ONLY	<b>Not Included</b>
<b>2004½</b> Cummins 5.9L ISB 24 Valve Engine - 48RE Auto Trans (Built Jan 5, '04-Jul 25, '04)	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C44052</b>	<b>Included</b>
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). <b>For Vehicles with Existing Onboard Air.</b>	<b>C44033</b>	<b>Included</b>
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake. <b>UPGRADE – Replaces Fixed Orifice Exhaust Brake.</b>	<b>C40111</b> EXHAUST BRAKE ONLY	<b>Not Included</b>

**NOTE:** All above DirectMount 2003-2007 kits will NOT work with Banks Turbo Back Monster® Exhaust. However, they will work with Banks Cat Back Monster® Exhaust. Applications for aftermarket turbo chargers, please contact Pacbrake for further kit information. 800.663.0096



# PRXB Exhaust Brake Application Guide

APPLICATION	EXHAUST SIZE	DESCRIPTION	PRXB KIT #	TRANSMISSION CONTROLLER
-------------	--------------	-------------	------------	-------------------------

## DODGE RAM TRUCKS WITH AUTOMATIC TRANSMISSIONS cont'

### 2003-2004 1/2 InLineMount

<b>2003-2004</b> Cummins 5.9L ISB 24 Valve Engine - 47 / 48RE Auto Trans (Built up to Jan 4, '04)	5"	InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C44051</b>	<b>Included</b>
<b>2004 1/2</b> Cummins 5.9L ISB 24 Valve Engine - 48RE Auto Trans (Built Jan 5, '04-Jul 25, '04)	5"	InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C44051</b>	<b>Included</b>

**NOTE:** All above DirectMount 2003-2007 kits will NOT work with Banks Turbo Back Monster® Exhaust. However, they will work with Banks Cat Back Monster® Exhaust. Applications for aftermarket turbo chargers, please contact Pacbrake for further kit information. 800.663.0096

### 2003-2007 InLineMount

<b>2003-2005</b> Cummins 5.9L ISB 24 Valve Engine - 47 / 48RE Auto Trans (Built up to Jun 27, '05)	4"	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C44067</b>	<b>Included</b>
<b>2006-2007</b> Cummins 5.9L ISB 24 Valve Engine - 48RE Auto Trans (Built after Jun 27, '05)	4"	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C44068</b>	<b>N/A</b>

### 2005-2007 DirectMount

<b>2005</b> Cummins 5.9L ISB 24 Valve Engine - 48RE Auto Trans (Built up to Jun 27, '05)	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C44052</b>	<b>Included</b>
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). <b>For Vehicles with Existing Onboard Air.</b>	<b>C44033</b>	<b>Included</b>
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake. <b>UPGRADE – Replaces Fixed Orifice Exhaust Brake.</b>	<b>C40111</b> EXHAUST BRAKE ONLY	<b>Not Included</b>
<b>2006-2007</b> Cummins 5.9L ISB 24 Valve Engine - 48RE Auto Trans (Built after Jun 27, '05)	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C44045</b>	<b>N/A</b>
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). <b>For Vehicles with Existing Onboard Air.</b>	<b>C44037</b>	<b>N/A</b>
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake. <b>UPGRADE – Replaces Fixed Orifice Exhaust Brake.</b>	<b>C40111</b> EXHAUST BRAKE ONLY	<b>N/A</b>

**NOTE:** All above DirectMount 2003-2007 kits will NOT work with Banks Turbo Back Monster® Exhaust. However, they will work with Banks Cat Back Monster® Exhaust Applications for aftermarket turbo chargers, please contact Pacbrake for further kit information: 800.663.0096



## PRXB Exhaust Brake Application Guide

APPLICATION	EXHAUST SIZE	DESCRIPTION	PRXB KIT #	TRANSMISSION CONTROLLER
<b>DODGE RAM TRUCKS WITH AUTOMATIC TRANSMISSIONS cont'</b>				
<b>2005-2007 InLineMount</b>				
<b>2005</b> Cummins 5.9L ISB 24 Valve Engine - 48RE Auto Trans (Built up to Jun 27, '05)	5"	InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C44051</b>	<b>Included</b>
<b>2006-2007</b> Cummins 5.9L ISB 24 Valve Engine - 48RE Auto Trans (Built after Jun 27, '05)	5"	InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C44047</b>	<b>N/A</b>
<b>2007½-2016 InLineMount</b>				
<b>2007½-2017</b> Cummins 6.7L ISB 24 Valve Engine - 68RFE Auto Trans	4"	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C44038</b>	<b>N/A</b>
<b>2007½-2017</b> Cummins 6.7L ISB 24 Valve Engine - 68RFE Auto Trans	5"	InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C44039</b>	<b>N/A</b>

APPLICATION	DESCRIPTION	PRXB KIT #	SWITCH PAC (OPTIONAL)	ECM BYPASS (OPTIONAL)
<b>FORD TRUCKS WITH STANDARD TRANSMISSIONS</b>				
<b>1995-2007 InLineMount</b>				
<b>1995-1998</b> Powerstroke 7.3L 16 Valve Engine (Built before November 1998)	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C40008</b>	<b>N/A</b>	<b>N/A</b>
<b>1999-2003</b> Powerstroke 7.3L 16 Valve Engine (Built November 1998 & newer)	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C40009</b>	<b>C18041</b>	<b>N/A</b>
<b>2003-2007</b> Powerstroke 6.0L 32 Valve Engine	InLineMount 4" PRXB Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C40010</b>	<b>Included</b>	<b>N/A</b>

**NOTE:** All above kits are for vehicles with factory exhaust systems. Vehicles with aftermarket 4" O.D. exhaust systems will need 2 adapters – C11342



# PRXB Exhaust Brake Application Guide

APPLICATION	DESCRIPTION	PRXB KIT #	SWITCH PAC (OPTIONAL)	TRANSMISSION CONTROLLER
<b>FORD TRUCKS WITH AUTOMATIC TRANSMISSIONS</b>				
<b>1995-2007 InLineMount</b>				
<b>1995-1998</b> Powerstroke 7.3L 16 Valve Engine - E40D Auto Trans (Built before November 1998)	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C40008</b>	<b>N/A</b>	<b>REQUIRED (Call Pacbrake)</b>
<b>1999-2003</b> Powerstroke 7.3L 16 Valve Engine - 4R110 Auto Trans (Built November 1998 & newer)	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C40019</b>	<b>N/A</b>	<b>Included</b>
<b>2003-2007</b> Powerstroke 6.0L 32 Valve Engine - 5R140 Auto Trans	InLineMount 4" PRXB Exhaust Brake Kit with (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C40007</b>	<b>N/A</b>	<b>Included</b>

**NOTE:** All above kits are for vehicles with factory exhaust systems. Vehicles with aftermarket 4" O.D. exhaust systems will need 2 adapters – C11342

APPLICATION	DESCRIPTION	PRXB KIT #
<b>GM TRUCKS WITH AUTOMATIC TRANSMISSIONS (LB7/LLY/LBZ)</b>		
<b>2001-2007 InLineMount</b>		
<b>2001-2005</b> Duramax 6.6L 32 Valve Engine-Allison 1000 Series Auto Trans without optional 2nd alternator	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C40075</b>
<b>2006-2007 Classic</b> Duramax 6.6L 32 Valve Engine-Allison 1000 Series Auto Trans without optional 2nd alternator	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	<b>C40070</b>

**NOTE:** C40070 & C40075 Kits are designed for vehicles without optional 2nd alternator. Vehicles with the 2nd alternator, will have to fabricate their own mounting for the compressor.

All above kits are for vehicles with factory exhaust systems. Vehicles with aftermarket 4" O.D. exhaust systems will need 2 adapters – C11342

**CHECK VIN #:** Check the vehicles VIN to confirm the 8th digit is either a 1, 2 or letter D. These vehicles are approved for Pacbrake PRXB kits

VIN NUMBER	8TH DIGIT OF VIN	YEARS	ENGINE RPO CODE	PRXB PART #	DESCRIPTION/APPLICATION
	1 or 2	2001-2005	LB7/LLY	C40075	Automatic Transmission only. Vehicles without optional 2nd alternator
	D	2006-2007	LLY/LBZ	C40070	Automatic Transmission only. Vehicles without optional 2nd alternator
	D	2006-2007.5	LLY/LBZ	C40070	Automatic Transmission only. Vehicles without optional 2nd alternator

## MAINTENANCE

**Superlube** – Exhaust Brake Maintenance

**C18037**